PROFILTEK

GENERAL CATALOGUE 22

PROFILTEK
CUSTOM SHOWER SPACES

PROFILTEK

FIXED	FIXED NORDIC	FN
	FIXED ONE	ONE
SWINGING / FOLDING	GALLERY	GA
	KEISY	KE
	NEWGLASS	NG
	ARCOIRIS PLUS	AC
SLIDING	VANITY	VY
	VITA	VA
	HIT	HI
	WIND	WI
	NELL	NE
SPECIALS	SPECIALS	SP
PMR	PMR	PMR
KONVERT SOLUTION	KONVERT	KV
	XXL	
	SATIN / IMAGIK	IGK
	INFOTEK	INF

PROFILTEK, the leading company

PROFILTEK is the leading company manufacturing shower enclosures in Spain and Portugal. The company philosophy is fully oriented to enhance the user experience, offering a complete range of high quality shower enclosures at the forefront of design and innovation.

Our HQ in Valencia (Spain), with a surface area exceeding 30,000 m², are entirely dedicated to the production of shower enclosures and technological resources offer the highest possible performance, aiming for quality and traceability. Local stocks and comprehensive logistics enable us to offer unbeatable lead times and extraordinary reliability.

PROFILTEK's vision is to consolidate its position as Europe's best shower enclosure specialist.

Our knowledge of the product and its layout in the shower space, together with our expertise in design and manufacturing as well as our attention to customers at all times, allows us to offer solutions that meet all your expectations.

Our day-to-day work, in close collaboration with our distributors, builds our mission to serve the end user: To create and provide spaces and environments that allow everyone to enjoy showering.

AWARD-WINNING KEISY SERIES, RECIPIENT OF A PRESTIGIOUS DESIGN PRIZE:

DESIGN AWARD 2020

The **iF DESIGN AWARD** is the world's largest design competition in terms of products, packaging, communication, interior design and professional concepts. The **iF DESIGN AWARD** is the oldest independent design label in the world.

Functionality, customisation, design, innovation. These four elements of a single enclosure are capable of giving any bathroom balance and elegance.

PROFILTEK, official sponsor of WORLD DESIGN CAPITAL.

The World Design Organisation (WDO) ® is an international non-governmental organisation promoting the profession of industrial design and its ability to generate better products and systems, more competitive businesses and industry, and ultimately a better environment and society. As the international voice of industrial design, the WDO advocates, promotes and shares knowledge about industrial design innovation that has the power to create a better world.

Valencia World Capital of Design 2022 represents the sum of both our own efforts and those of third parties. From this work and enthusiasm, parallel projects are emerging that meet the objectives of the Capital and are in line with one of the sustainable development goals for 2030 promoted by the United Nations in terms of sustainability and social justice.

Cartel design: Ibán Ramón



5 years guarantee

Made in Spain to European standards

International transport network

Maximum flexibility

Customized product

10 YEARS Spare parts supply guaranteed

We'll do anything for our distributors

PROFILTEK's network of distributors is the driving force behind most of our strategic decisions.

Our mission is to offer beautiful, functional and adaptable shower spaces to each customer.

Our aim is to offer the user the best sensations during a relaxing shower.

To do this we put all our technical and human resources at your disposal to facilitate the sales process, simplifying your work and optimising the profitability of your business.

For your convenience, the **identification code** of your PROFILTEK enclosure is provided inside the logo that accompanies our products.

By removing the upper "PROFILTEK" cover from the enclosure, you will be able to access its identification code, a reference number that allows us to determine the manufacturing history of your PROFILTEK product; it will be indispensable when ordering any spare parts you may need or submitting any queries concerning that item.

We want our distributors to be able to satisfy their customers as well as possible thanks to PROFILTEK. This motivation is why we offer a 10-year guarantee on our spare parts.

Certified Guarantee.

The excellence is one of our priorities. In order to achieve it, we employ the best quality in terms of materials and processes for our products, according to the European Standards EN 14428:2016 and the CE marking, which set the requirements for the shower enclosures' manufacturing.

- Optimal enclosure properties.
- Resistance to corrosion.
- Resistance to dry-wet change.
- Durability and stability.
- Maximum watertightness.
- Easy cleaning.

Our own quality control laboratory.

Our in-house Laboratory allows us to carry out full quality controls, in order to assure the strict compliance of all regulations.

- Safety: European standard EN 12150-1.
- High quality profiles: European standard EN 12220-1.
- Highly resistant coatings: DIN EN ISO 2409.
- Glass for building: European standard EN 12150.
- Profiles and coating: European standard EN ISO 8994.
- Corrosion in artificial salt-fog atmospheres EN ISO 9227.

Certified Quality.

UNE-EN 14428:2016
Bath enclosures

UNE-EN 14428:2016
Bath enclosures

UNE 166002:2014
R&D&I management

ISO 9001:2015
Quality Management System

ISO 9001:2015
Quality Management System

Trust in Profiltek.

Test 1: Chemical products

Profiltek

Other

Test 2: Neutral salines spray

Profiltek

Other

These images show the standard tests carried out on a sampling of aluminium profile.

You can appreciate a standard chromated aluminium profile sampling from Profiltek compared to another manufacturer's sampling having the same characteristics.

Contract solutions for your projects.

Profiltek offers a wide variety of configurations, finishes and alternatives for the creation of shower spaces, enabling a multitude of solutions for contemporary architecture.

Innovation, technology and aesthetics are fantastic tools in the hands of anyone who knows how to use them. And who could be better than you at doing that? We are aware that effective distribution of shower space and suitable decorations are undoubtedly decisive elements in fully enjoying this room.

That is why we can offer the professionals at CONTRACT all the possibilities presented by Spain's leading manufacturer of shower enclosures, with more than 30 years of experience and dozens of successful projects as a reference.

Do you have a project? Tell us about it! We will be delighted to help you make it a reality.

https://www.profiltek.com/en/en-project-division-contract

PROFILTEK
PROJECT DIVISION

Barceló Imagine Hotel - Madrid

Discover your shower enclosure with our Virtual Decorator!

Thanks to our Virtual Decorator, you will be able to:

- View your customised product with a high level of realism, quickly and from any device.
- Draft your quotes and place orders with just one click.
- Reduce delivery times.
- Track the status of your order and delivery times online.

profiltek.com/decorator

NEW UPDATED VERSION OF THE VIRTUAL DECORATOR AND **PROFESSIONAL AREA**

Follow us on:

THE LEADING ENCLOSURE DECORATOR SINCE 2012

Come on in and enjoy our new Professional Area.

Video tutorial

Our Professional Area allows you to conduct all necessary administration quickly and easily.

- Online tracking of your order status and delivery times.
- Edit, modify and confirm your pending quotes.
- Your documents always organised and available for download in PDF and Excel format.
- Secure payment of invoices by credit card via a POS terminal.
- Choose the format in which you would like to receive your invoices, emails with information notes...
- Order spare parts.
- Download graphic materials: images, guides, technical data sheets...



FASTER AND MORE INTUITIVE

USEFUL AND EASY TO USE

NEW FEATURES

ADAPTABLE TO ALL YOUR DEVICES

Summary

14 Finishes.

14 How to choose the ideal enclosure?
16 Complete range of enclosure
18 Teknoclean and cleaning
20 Glass types
22 Profile finishes
24 Accessories
28 Stabiliser bars
30 Degree profiles

32 Fixed.

32 Fixed Nordic
40 Fixed One

54 Swinging / Folding.

54 Gallery
62 Keisy
72 Newglass
86 Arcoiris Plus

100 Sliding.

100 Vanity
108 Vita
118 Hit
126 Wind
134 Nell

138 Specials.

146 PMR.

156 Konvert.

162 XXL.

168 Satin / Imagik decorations.

186 Infotek.

How to choose the ideal enclosure?

1 Space to be covered

FRONT

ANGLE



3 SIDES

2 Shape of the tray

SQUARE



ROUNDED



RECTANGULAR



3 Access to the shower

FRONT CENTRED



SIDE



ANGULAR





4 Who will be using the shower?

For **people with reduced mobility and/or disabilities,** it is important to make the most of the shower entrance space and ensure that the enclosure is easy to open. The PMR models are a perfect option in cases where external assistance is required.

When **children** use the shower, it is very important that the enclosure is easy to open. It is advisable to choose sturdy enclosure models with suitable profiles and swinging, sliding or fixed doors.

5 Opening

Fixed



Sliding



Swinging

Folding



Mixed



6 Choose the model

To help you, we have created a chart on the following page that summarises the features of each model.

7 Customise to your taste

Profile

Glass

Accessories

Make sure you choose elements that blend well with the rest of your shower space, the décor of your home and your personal taste.

GENERAL FEATURES

	GLASS THICKNESS			TECHNICAL SPECIFICATIONS								
	6 mm	8 mm	10 mm	Standard Height	Offset	Type of closure	Water-tightness level	No lower slide for sliding panels	Anti-rollover system for sliding panels	Quick-assembly system	Soft closure	Sliding door release system
FIXED NORDIC		✓		195 cm	10 mm		3	✓				
FIXED ONE	✓	✓	✓	195 cm	According to model		3	✓				
N GALLERY		✓		195 cm	15 mm	Magnetic or contact	2					
KEISY		✓		195 cm	20 mm*	Magnetic or contact	2					
NEWGLASS	✓	✓		195 cm	±2 mm frontal, ±7 mm lateral*	Magnetic or contact	2					
ARCOIRIS PLUS	✓			195 cm	20 mm 15 mm fixed	Magnetic or contact	2					
N VANITY		✓		195 cm	20 mm	Magnetic or contact	2		✓			
VITA		✓		195 cm	10 mm	Magnetic or contact	2	✓	✓	✓	✓	
HIT	✓			195 cm	10 mm	Magnetic or contact	2	✓	✓	✓	✓	✓
WIND	✓			195 cm	15 mm	Magnetic or contact	2	✓	✓	✓		
NELL	✓			195 cm	15 mm	Gaskets	2	✓	✓	✓		
SPECIALS	✓	✓	✓	195 cm	According to model	Magnetic or contact	2					
PMR	✓			80 or 195 cm*	20 mm	Magnetic	2					

*Chart of general features. For more details, we advise you to check the features and notes applicable to each Series.
* See "offset" under the features of the Series.

SEALING LEVELS

Depending on the type of enclosure chosen, small amounts of water may seep in and out of the shower due to the installation, use or features of the enclosure. As a guide, we have divided our products into 3 levels:

LEVEL 1 - HIGH
Shower area with lower profiles. Highly watertight enclosure. Minimises the appearance of splashes.



LEVEL 2 - MEDIUM
Shower space with reduced profiles. Enhanced elegance and design. Watertightness is not guaranteed. Some splashes may appear.

LEVEL 3 - LOW
Open shower space without profiles. Strong emphasis on elegance and design, easy to clean. Low watertightness. Water splashes are common.

FIXED

FIXED NORDIC

FIXED ONE



SWINGING / FOLDING

GALLERY

KEISY

NEWGLASS



ARCOIRIS PLUS



SLIDING

VANITY



VITA



SLIDING

HIT



WIND



NELL



SPECIALS

PMR

KONVERT

XXL

TEKNOCLEAN

Our DNA is clearly marked by innovation in the development of new solutions that help improve the customer experience. This innovation gave rise to **Teknoclean**, a clever system that can be applied to the inside surface of the glass, forming a protective film that repels liquids and reduces dirt and limescale build-up, providing impeccable, fast and long-lasting cleaning.

After numerous rigorous resistance tests, a **Profiltek study**, which has obtained optimal results, has certified the effectiveness and reliability of the Teknoclean system and guarantees that its application methods ensure effective adhesion, allowing faster and more convenient cleaning of enclosures.

Some of the main benefits of using **Teknoclean** on enclosures that are, among others:

- Easier cleaning.
- As-new appearance and enhanced durability.
- Reduction of scale and contaminant deposits.
- Non-sticky surface.
- Resistant coating to standard cleaning products.
- Protection against stubborn stains such as oil or greasy substances.

TEKNOCLEAN: 4000 scrubbing cycles. **8 years without limescale*.**

TEKNO CLEAN INCLUDED in the glass

WITH TEKNOCLEAN



WITHOUT TEKNOCLEAN

* The Teknoclean treatment is not self-cleaning, so we advise you to clean your enclosure regularly using the products recommended by the manufacturer. The durability of the treatment can be up to 8 years if proper maintenance is ensured.

Cleaning and maintenance

YOUR ENCLOSURE - ALWAYS CLEAN

Profiltek has developed the TEKNOCLEAN system, a treatment for enclosures which is applied to glass and forms a protective layer that is impermeable to liquids and minimises limescale and dirt incrustations, maintaining an as-new appearance for longer. This innovative system makes cleaning faster, more efficient and less laborious.

Even with TEKNOCLEAN, all enclosures require minimal maintenance to keep a clean, flawless appearance. Preserving a enclosure spotless is very simple - just follow this series of practical tips.

Moisture is the main enemy of enclosures because it encourages the growth of bacteria and mould. A practical way to keep the glass enclosure in good condition is:

- To ventilate the bathroom.
- To dry the enclosure after each use, using a cloth that does not leave residues or lint or, failing that, with a window washer with a rubber squeegee.

CLEAN YOUR ENCLOSURE FREQUENTLY

- Choose cleaning products that are not aggressive to metal surfaces and never use abrasive cloths, sponges or objects that could damage the surfaces.
- Use only neutral, non-acid and non-reactive products, avoiding (for example) bleach, ammonia and acids as they can scratch or damage the glass, especially if the enclosure has received special treatment beforehand.
- Do not use acid descalers or products containing sodium hypochlorite, sodium hydroxide or products unsuitable for cleaning lacquered surfaces; this includes any detergents that are abrasive, chlorine-based or contain bleach or solvents as they may damage the anodised frame and the paint. The use of these products can cause corrosion, blistering on painted profiles and deterioration of the silkscreen printing.

CLEANING

1. Apply the cleaning product to the enclosure.
2. Leave it on for a few minutes.
3. Rub with a non-abrasive sponge and dry thoroughly until clean and shiny. This process is always the same, so it is advisable to dry the surfaces of the enclosure after each use, especially in the lower areas, to prevent any remaining water from damaging the finish of the metals or other accessories.

Types of glass

Extra-Clear

Smoke Grey

Blue

Acid

Master Carré

Carglass

Wavy

Mirastar Mirror

Ecliptek

Satin

Imagik

IMAGIK DECORATION IS AVAILABLE ON **EXTRA-CLEAR, BLUE** OR **SMOKE GREY GLASS.**

GLASS OPTIONS

	FRONTAL AND ANGULAR ENCLOSURES										
	Extra-Clear	Smoke Grey	Blue	Acid	Master Carré	Carglass	N Wavy	Mirastar	Ecliptek	Satin	Imagik
FIXED NORDIC	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓
FIXED ONE	✓	✓	✓	✓	✓	✓		✓		✓	✓
N GALLERY	✓	✓	✓	✓	✓			✓		✓	✓
KEISY	✓	✓	✓	✓	✓			✓		✓	✓
NEWGLASS	✓	✓	✓	✓	✓	✓		✓		✓	✓
ARCOIRIS PLUS	✓	✓	✓	✓	✓	✓		✓		✓	✓
N VANITY	✓	✓	✓	✓	✓			✓		✓	✓
VITA	✓	✓	✓	✓	✓			✓		✓	✓
HIT	✓	✓	✓	✓	✓	✓		✓		✓	✓
WIND	✓	✓	✓	✓	✓	✓		✓		✓	✓
NELL	✓	✓	✓	✓	✓	✓		✓		✓	✓
SPECIALS	✓	✓	✓	✓	✓	✓		✓		✓	✓
PMR	✓	✓	✓	✓	✓	✓		✓			
KONVERT	✓	✓	✓	✓	✓	✓		✓		✓	✓

Check the catalogue for availability according to the model.

	ROUNDED ENCLOSURES			
	Extra-Clear	Master Carré	Carglass	Sandblasted
WIND	✓			✓

FURTHER DETAILS

- Table of general features. For more details, we advise you to check the finishing options for each Series.
- Carglass is not available for 8 mm glass.
- The 10 mm Fixed One Series is only available in Extra-Clear and Acid glass.
- Satin and Imagik decoration is not available for rounded enclosures. Rounded enclosures are only available with the Sandblasted finish.

Profile finishes

White*

Matt White

Silver*

High Gloss Silver

Chrome

Matt Gold

Black

* For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.

FINISH OPTIONS

	FINISHES						
	White	Matt White (N)	Silver	High Gloss Silver	Chrome	Matt Gold	Black
FIXED NORDIC		✓		✓		✓	✓
FIXED ONE	✓	✓	✓	✓	✓	✓ (N)	✓
(N) GALLERY		✓			✓	✓	✓
KEISY	✓		✓	✓	✓		
NEWGLASS					✓		✓
ARCOIRIS PLUS	✓		✓	✓	✓		✓
(N) VANITY		✓		✓	✓	✓ (N)	✓
VITA		✓	✓		✓		✓
HIT	✓		✓	✓	✓ (N)		✓ (N)
WIND	✓		✓	✓			
NELL	✓		✓	✓			
SPECIALS	✓		✓	✓	✓		✓
PMR	✓		✓	✓	✓		✓
KONVERT	✓		✓	✓	✓		✓

Check the catalogue for availability according to the model.

Accessories

HANDLES

Chrome

Black

OXFORD HANDLE

Chrome

Black

Matt White

TURÍN HANDLE

Chrome

LONDON HANDLE

Chrome

Black

PARÍS HANDLE

Chrome

NANTES HANDLE

Chrome

Matt White

Black

Matt Gold

BERLIN HANDLE

Chrome

Black

MONACO HANDLE

Chrome

Black

SIENA HANDLE

Black



Chrome Matt White Matt Gold

ROMA HANDLE

KNOBS AND TOWEL RACKS

Chrome



Matt White

OSLO KNOB

Chrome

Black

SOFIA KNOB

Chrome

DENVER KNOB

Chrome

VERSAILLES KNOB

GLASS HOLE

Chrome

VIENA TOWEL RACK

Black



Matt White

Chrome

SIDNEY TOWEL RACK

Black

INTEGRATED HANGER

OPTIONS TO CUSTOMISE YOUR ENCLOSURE WITH ACCESSORIES.

VIEW A RENDER OF YOUR ENCLOSURE IN THE VIRTUAL DECORATOR

	HANDLES								
	Oxford	London	París	Turín	Mónaco	Berlin (N)	Siena	Nantes	Roma (N)
FIXED NORDIC									
FIXED ONE									
(N) GALLERY						✓			
KEISY	OP	✓	OP	OP			OP		
NEWGLASS		OP		OP	OP		✓	OP	
ARCOIRIS PLUS		OP		OP	OP		✓	OP	
(N) VANITY				OP			OP		✓
VITA	OP		OP	✓	OP		OP		
HIT	OP		✓	OP	OP		OP		
WIND	OP		OP	OP	✓		OP	OP	
NELL	OP			OP	OP		OP	✓	
SPECIALS	OP	OP	OP	OP	OP	OP	OP	OP	
PMR								✓	
KONVERT	OP			✓					

	KNOBS					TOWEL RACKS		
	Denver	Oslo	Sofía	Versailles	Glass Hole	Viena towel rack	Sidney towel rack	Integrated towel rack
FIXED NORDIC						OP	OP	
FIXED ONE						OP	OP	OP
(N) GALLERY		OP			OP	OP	OP	
KEISY					OP	OP	OP	
NEWGLASS		OP				OP	OP	
ARCOIRIS PLUS			✓			OP	OP	OP
(N) VANITY					OP	OP	OP	
VITA	OP	OP		OP	OP	OP	OP	
HIT	OP		OP	OP	OP	OP	OP	
WIND	OP			OP	OP	OP	OP	
NELL	OP			OP	OP	OP	OP	
SPECIALS	OP	OP	OP	OP	OP	OP	OP	OP
PMR								
KONVERT								

✓ : AS STANDARD

OP : OPTIONAL

COMBINE THE ACCESSORIES AS YOU WISH

We offer various combinations of accessories for all Series. If you would like another combination that is not shown, please contact Customer Service and we will provide further information.

TOWEL RACKS

- Unless otherwise specified, the towel rack is centred at mid-height of the enclosure.
- The towel racks are installed on the glass with a minimum width of 600 mm.

IDEA

Use the Oxford handle as a towel rack by placing it horizontally on swinging products where F= 600 mm or upwards.

DETAILS/SIZES

OXFORD HANDLE



LONDON HANDLE



PARIS HANDLE



TURIN HANDLE



MONACO HANDLE



(N) BERLIN HANDLE



SIENA HANDLE



NANTES HANDLE



(N) ROMA HANDLE



*Table of general features. For more details, we advise you to check each Series.

DENVER KNOB



OSLO KNOB



SOFIA KNOB



VERSAILLES KNOB



GLASS HOLE



VIENA TOWEL RACK



SIDNEY TOWEL RACK



INTEGRATED HANGER



*Table of general features. For more details, we advise you to check each Series.

Multi-position stabiliser bar



FEATURES

- A single bar for the available thicknesses of 6, 8, 10 and 12 mm.
- Adaptable to the length of the space. Supplied with a length of 1m for in-situ cutting.
- For longer dimensions, the length of the bar can be increased by up to 1.3m on request.
- In the case of a wall-to-wall bar, the length of the bar is 2000 mm. For larger sizes it is possible to increase the length of the bar up to 2500 mm. Any such request must be indicated when ordering.
- Chrome finish.
- A single bar that offers multiple positions: ANGULAR (right and left) or STRAIGHT.

ANGULAR-POSITIONED BAR:

L ≤ 700 mm



STRAIGHT-POSITIONED BAR:

L > 700mm





Chrome

Black

Matt White

Matt Gold

MULTI-POSITION BARS FOR FIXED PANELS

Glass-ceiling side



Floor-ceiling

Glass-ceiling



Wall-wall

OTHER MULTI-POSITION STABILISER BAR CONFIGURATIONS

T-bar

Wall-wall

SEE MORE INFORMATION ON STABILISER BARS, PAGE 188

FIXED NORDIC STABILISER BAR

Matt White

High Gloss Silver

Matt Gold

Black

Multi-position stabiliser bar only available for Fixed Nordic Series.

VANITY BAR

Matt White

Chrome

Black

Matt Gold

Stabiliser bar only available for Vanity Series.

LYON LED BAR

Only available for Fixed One Series

Chrome

Black

STABILISER BAR + LED LUMINAIRE LIGHTS UP YOUR SHOWER AREA!

Degree profiles ATYPICAL 3

Degree profiles for solutions from 90° to 270°. Available in White, Silver, High Gloss Silver and Black.

AVAILABILITY BY SERIES

	WHITE	HIGH GLOSS SILVER	BLACK
FIXED OT/OV	✓	✓	✓
VANITY		✓	✓
GALLERY			✓
ARCOIRIS PLUS	✓	✓	✓
SPECIALS	✓	✓	✓
PMR	✓	✓	✓

For other Series, please contact Customer Service.

EXAMPLES OF CONFIGURATION WITH DEGREE PROFILES







GENERAL MEASUREMENTS



The set of straight profiles measures 56 mm. The width of the wall profile is 24 mm, while the profile marking the degrees is 26 mm wide. The diameter of the circular profile is 32 mm.

POSITIONS



The positions that the profiles can take up range from 90° to 270°.

OFFSET



The compensation the degree profiles allow for is 15 mm.

DIMENSIONS OF THE ENCLOSURE: X ≠ Y

THE POSITION OF THE DEGREE PROFILE ENSEMBLE MUST BE TAKEN INTO ACCOUNT WHEN TAKING THE X ≠ Y MEASUREMENTS

For spaces with the same dimensions (M), the size of the enclosure can vary as shown in the diagram; the X and Y dimensions depend on the degrees of the shower tray.

The sides of the existing walls must be indicated.



FIXED NORDIC

For more information:

PROFILTEK

FN-2001 1 shower fixed panel **P.34**

FN-2002 2 shower fixed panels **P.35**

FN-2003 3 shower fixed panels **P.36**

FN-2010 1 shower fixed panel **P.37**

FN-2016 1 shower fixed floor-wall-ceiling panel **P.38**

FN-2015 1 shower fixed floor-ceiling panel **P.39**

FEATURES:

- Fixed enclosures with aluminium profiles (framed).
- 8 mm thick tempered glass.
- +10mm profile offset.
- Multi-position stabiliser bar in Chrome, Black, Matt Gold or Matt White finish.
- New Ecliptek glass option for FN-2001 and FN-2015. See technical specifications on Technical Catalogue.
- Towel rack in Chrome, Black or Matt White finish.
- Glass with Tecknoclean treatment as standard.
- Reversible enclosure.

FIXED

Fixed Nordic Series / FN-2001

1 SHOWER FIXED PANEL (FRAMED)

Matt White finish · Extra-Clear glass · Imagik decoration model Vendome V Nordic (COS-27-01A).

Technical details



Measurements in mm

Detail

Features



Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White · High Gloss Silver · Black · Matt Gold

INSTALLATION VIDEO

youtu.be/aPfBoitKJNw

FIXED

Fixed Nordic Series / FN-2002

2 SHOWER FIXED PANELS (FRAMED)

Black finish - Extra-Clear glass.

Technical details



Measurements in mm

Features



Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes

Matt White · High Gloss Silver · Black · Matt Gold

INSTALLATION VIDEO

youtu.be/yT0VY52QWBc

FIXED

Fixed Nordic Series / FN-2003

3 SHOWER FIXED PANELS (FRAMED)

Black finish - Extra-Clear glass + Mirastar Mirror glass.

Technical details



Measurements in mm

Features

8 mm | H=1950 mm | +10 mm offset | Included | Barrier-free access

Reversible

Glass

Extra-Clear | Acid | Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White | High Gloss Silver | Black | Matt Gold

FIXED

Fixed Nordic Series / FN-2010

1 SHOWER FIXED PANEL (FRAMED)

Black finish - Extra-Clear glass - Imagik decoration Paralel Model (TEX-10-72A).

Technical details



Measurements in mm

Features

8 mm | H=1950 mm | +10 mm offset | Included | Barrier-free access

Reversible

Glass

Extra-Clear | Acid | Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White | High Gloss Silver | Black | Matt Gold

FIXED

Fixed Nordic Series / FN-2016

1 SHOWER FIXED FLOOR-WALL-CEILING PANEL (FRAMED)

Black finish - Smoke Grey glass.

Technical details



Measurements in mm

Features

8 mm | H=Up to 2600mm | +10 mm offset | Included | Barrier-free access

Reversible

Glass

Extra-Clear | Acid | Smoke Grey

See more customised glass options on page 20

Profile finishes

Matt White | High Gloss Silver | Black | Matt Gold

FIXED

Fixed Nordic Series / FN-2015

1 SHOWER FIXED FLOOR-CEILING PANEL (FRAMED)

Black finish - Extra-Clear glass.

Technical details



Measurements in mm

Features

8 mm | Up to 2600 mm | +10 mm offset | Included | Barrier-free access

Reversible

Glass

Extra-Clear | Acid | Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White | High Gloss Silver | Black | Matt Gold

INSTALLATION VIDEO

youtu.be/ubhLFDN-JcY

FIXED ONE

For more information:

FEATURES:

- Wide range of different glass thicknesses, profiles and fixed types (semi-framed).
- 100% customisable, made-to-measure enclosures.
- Glass thicknesses, profile types and stabiliser bars may be selected to suit the bathroom space.
- Wide range of accessories such as towel racks, integrated towel racks, LED bars and special cut-outs in the enclosure.
- Optional Satin or Imagik decorations.
- New model with LED bar: OT-2001 Lyon.
- Multi-position bar included in all Fixed One Series products (see finishes on page 28), except model VY-250 (see Vanity bar on page 29).
- Glass with Teknoclean treatment as standard.

OV-2000 1 shower fixed panel **P.42**

OT-2000 1 shower fixed panel **P.43**

OB-2000 1 shower fixed panel **P.44**

OL-2000 1 shower fixed built-in panel **P.45**

OL-2015 1 shower fixed floor-ceiling panel **P.46**

OT-2016 1 shower fixed floor-ceiling-wall panel **P.47**

OT-2001 LYON 1 shower fixed panel with LED bar **P.48**

AC-240 Front. 1 fixed panel + 1 hinged shutter inwards and outwards **P.49**

GA-240 Front. 1 fixed panel + 1 swinging panel inwards and outwards **P.50**

VY-250 Front. 1 sliding door + 1 fixed panel **P.51**

VA-250 Front. 1 sliding suspended door+ 1 fixed panel **P.52**

HI-250 Front. 1 sliding suspended door + 1 fixed panel **P.53**

FIXED

Fixed One Series / OV-2000

1 SHOWER FIXED PANEL

Black finish· Smoke Grey glass· Imagik decoration, Punts model (TEX-09-01A)· Integrated towel rack.

Technical details



Measurements in mm

OV profile

Features



6 mm | H=1950 mm | +15 mm offset | Included

Reversible

Barrier-free access

Glass

Extra-Clear | Acid | Smoke Grey

See more customised glass options on page 20

Profile finishes

White* | Silver* | High Gloss Silver* | Chrome | Matt Gold | Black

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

FIXED

Fixed One Series / OT-2000

1 SHOWER FIXED PANEL

Matt Gold finish ·Extra-Clear glass.

Technical details



Measurements in mm



GLASS 8 mm:	GLASS 10 mm:
A = 17 mm	A = 19 mm
B = 35 mm	B = 35 mm

OT profile

Features



8 or 10 mm | H=1950 mm | +15 mm offset | Included

Reversible

Barrier-free access

Glass

Extra-Clear | Acid | Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White | Silver | High Gloss Silver | Chrome | Matt Gold | Black

INSTALLATION VIDEO

youtu.be/MLchS8FLgss

FIXED

Fixed One Series / OB-2000

1 SHOWER FIXED PANEL

Silver finish · Extra-Clear glass.

Technical details



Measurements in mm

OB profile

Features



6 or 8 mm · H=1950 mm · +10 mm offset · Included

Reversible · Barrier-free access

Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · Chrome

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

FIXED

Fixed One Series / OL-2000

1 SHOWER FIXED BUILT-IN PANEL

High Gloss Silver finish · Extra-Clear glass · Optional Lyon LED bar.

Technical details



Measurements in mm



The installation of a Built-in fixed needs to be taken into account in the initial phase of bathroom renovation, as it requires pre-installation.

Wall profile · Semi-recessed · Built-in

Features



8 or 10 mm · H=1950 mm · +10 mm offset · Included

Reversible · Barrier-free access

Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



Silver · High Gloss Silver · Black

INSTALLATION VIDEO

youtu.be/LylOxBwGXO4

FIXED

Fixed One Series / OL-2015

1 SHOWER FIXED FLOOR-CEILING PANEL

Black finish - Extra-Clear glass.

Technical details

	Glass 8mm	Glass 10mm
A	12 mm	14 mm
B	18 mm	20 mm



Measurements in mm

EASY ASSEMBLY



Features

Glass

Extra-Clear | Acid | Smoke Grey

See more customised glass options on page 20

Profile finishes

Silver | High Gloss Silver | Black

FIXED

Fixed One Series / OT-2016

1 SHOWER FIXED FLOOR-WALL-CEILING PANEL

Black finish - Smoke Grey glass.

Technical details



Measurements in mm



Features

Glass

Extra-Clear | Acid | Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White | Silver | Black | Matt Gold

FIXED

Fixed One Series / OT-2001 Lyon

1 SHOWER FIXED PANEL WITH LED BAR

Black finish · Extra-Clear glass · Lyon LED bar as standard.

Technical details



Measurements in mm

The installation of a fixed with a Lyon LED bar needs to be taken into account in the initial phase of bathroom renovation, as it requires pre-installation. See additional information on page 77.

Chrome

Black

Features

8 mm · H=1950 mm · +15 mm offset · Included

Reversible · Barrier-free access

Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes

Chrome · Black

FIXED

Arcoiris Plus Series / AC-240

FRONT. 1 FIXED PANEL + 1 HINGED SHUTTER INWARDS AND OUTWARDS OPENING

Black finish - Smoke Grey glass.

Technical details



Measurements in mm

Features



6 mm · H=1950 mm · +15 mm offset

Included · Barrier-free access

Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · High Gloss Silver* · Chrome · Black

INSTALLATION VIDEO

youtu.be/MKVZuuKVa7s

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

FIXED

Gallery Series / GA-240

FRONT. 1 FIXED PANEL + 1 HINGED SHUTTER INWARDS AND OUTWARDS OPENING

Matt Gold finish ·Extra-Clear glass.

Technical details



Measurements in mm

Features



Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes

Matt White · Chrome · Matt Gold · Black

SLIDING

Vanity Series / VY-250

FRONT. 1 SLIDING DOOR + 1 FIXED PANEL

Black finish · Extra-Clear glass · Roma handle as standard.

Technical details



Measurements in mm

Features



Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White · High Gloss Silver · Chrome · Black · Matt Gold

Standard accessories

Roma handle (Colour according to profile)

See other optional accessories on Price List Catalogue

SLIDING

Vita Series / VA-250

FRONT. 1 SLIDING SUSPENDED DOOR + 1 FIXED PANEL

Chrome finish - Extra-Clear glass - Imagik Fog design (CL-10-07 B) - Optional Oxford handle.

Technical details



Measurements in mm

OTHER INFORMATION

The position of the stabiliser bar is fixed.

F stands for the dimension of the enclosure, measured from the wall to the end of the guide. The width of the bar at its base is R=26 mm.

When the enclosure is completely closed, the total width of the fixed and sliding combination is F-30 mm.



Features



8 mm · H=1950 mm · +10 mm offset · Soft closure

Anti-rollover system · No lower profiles · Quick-assembly system · Included

Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White · Silver · Chrome · Black

Standard accessories

Turín handle (Colour according to profile)

See other optional accessories on Price List Catalogue

SLIDING

Hit Series / HI-250

FRONT. 1 SLIDING SUSPENDED DOOR + 1 FIXED PANEL

High Gloss Silver finish · Extra-Clear glass · Optional Turín handle.

Technical details



Measurements in mm

OTHER INFORMATION

The position of the stabiliser bar is fixed.

F stands for the dimension of the enclosure, measured from the wall to the end of the guide. The width of the bar at its base is R=26 mm.

When the enclosure is completely closed, the total width of the fixed and sliding door is F-35 mm.



Features

6 mm · H=1950 mm · +10 mm offset · Soft closure · Anti-rollover system

No lower profiles · Panel release · Quick-assembly system · Included

Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · High Gloss Silver* · Chrome · Black

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

París handle (Colour according to profile)

See other optional accessories on Price List Catalogue

GALLERY SWINGING

For more information:

PROFILTEK

NEW

GA-206 Front. 1 swinging door on fixed panel **P.56**

GA-216 1 swinging door on fixed + 1 fixed side panel **P.57**

GA-209 Front.1 fixed panel + 1 swinging door + 1 fixed adjoining panel **P.58**

GA-213 Angular. 2 swinging doors + 2 fixed panels **P.59**

GA-240 Front. 1 fixed panel + 1 hinged shutter inwards and outwards **P.60**

FEATURES:

- Swinging door shower enclosure with fixed panels.
- Can be opened inwards or outwards.
- Finishes available: Chrome, Black, Matt Gold and Matt White.
- Enclosure with inner hinges flush fitting with the inner glass (between fixed and door panel).
- 8 mm thick tempered glass.
- Wall-mounted profile with profile offset of up to +15 mm.
- Equipped with magnetic or contact closure. Magnetic closure profile with inserted magnet.
- Berlin handle as standard in the enclosure finish.
- Base profile in the enclosure finish.
- Glass with Teknoclean treatment as standard.

SWINGING

Gallery Series / GA-206

FRONT. 1 SWINGING DOOR ON FIXED PANEL

Black finish - Extra-Clear glass - Berlín handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



Profile with magnetic closure. Opens outwards.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes

Matt White Chrome Matt Gold Black

Standard accessories

See other optional accessories on Price List Cata-logue

Berlin handle (Colour according to profile)

SWINGING

Gallery Series / GA-216

1 SWINGING DOOR ON FIXED + 1 FIXED SIDE PANEL

Chrome finish -Extra-Clear glass - Berlín handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



Contact closure. Can be opened inwards or outwards.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes

Matt White Chrome Matt Gold Black

Standard accessories

See other optional accessories on Price List Cata-logue

Berlin handle (Colour according to profile)

SWINGING

Gallery Series / GA-209

FRONT. 1 FIXED PANEL + 1 SWINGING DOOR + 1 FIXED ADJOINING PANEL

Matt White finish -Extra-Clear glass - Berlín handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



Magnetic closure. Can be opened inwards or outwards.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White Chrome Matt Gold Black

Standard accessories

See other optional accessories on Price List Cata-logue

Berlin handle (Colour according to profile)

SWINGING

Gallery Series / GA-213

ANGULAR. 2 SWINGING DOORS + 2 FIXED PANELS

Matt White finish - Extra-Clear glass - Berlín handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



Magnetic closure. Opens outwards.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White Chrome Matt Gold Black

Standard accessories

See other optional accessories on Price List Cata-logue

Berlin handle (Colour according to profile)

SWINGING

Gallery Series / GA-240

FRONT. 1 FIXED PANEL + 1 HINGED SHUTTER INWARDS AND OUTWARDS OPENING

Matt Gold finish ·Extra-Clear glass.

Technical details



Measurements in mm

Features

8 mm

Swinging enclosure

H=1950 mm

+15 mm offset

Included

Barrier-free access

Glass

Extra-Clear

Acid

Smoke Grey

See more customised glass options on page 20

Profile finishes

Matt White

Chrome

Matt Gold

Black

KE SY SWINGING

For more information:

FEATURES:

- Shower screen with swinging doors.
- 8 mm thick tempered glass.
- Profile offset depends on the model.
- Metalic pieces in Chrome.
- Equipped with magnetic or contact closure. Magnetic closure profile with inserted magnet.
- Base profile in Chrome finish.
- Opening (inwards and/or outwards, depending on the model) with raise/lower mechanism.
- London handle in Chrome finish as standard.
- See optional accessories on Price List Catalogue.
- Easy cleaning.
- Glass with Teknoclean treatment as standard.

PROFILTEK

KE-210 Front. 1 swinging door **P.64**

KE-205 Front. 1 swinging door + 1 fixed adjoining panel **P.65**

KE-206 Front. 1 swinging door on fixed panel **P.66**

KE-207 Front. 2 swinging doors **P.67**

KE-216 1 swinging door on fixed + 1 fixed side panel **P.68**

KE-208 1 swinging door + 1 fixed side panel **P.69**

KE-220 Angular. 2 swinging doors **P.70**

DESIGN AWARD 2020

AWARD-WINNING SERIES, RECIPIENT OF A PRESTIGIOUS DESIGN PRIZE:

DESIGN AWARD 2020

SWINGING

Keisy Series / KE-210

FRONT. 1 SWINGING DOOR

High Gloss Silver finish · Extra-Clear glass · London handle as standard.

Technical details



Measurements in mm



TYPE OF CLOSURE



Profile with magnetic closure. Can be opened inwards and outwards.

Features



Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes

White* · Silver* · High Gloss Silver* · Chrome

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

See other optional accessories on Price List Catalogue

London handle

SWINGING

Keisy Series / KE-205

1 SWINGING PANEL + 1 FIXED ADJOINING PANEL

High Gloss Silver finish · Extra-Clear glass · London handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



Magnetic closure. Can be opened inwards and outwards.

Features



Glass

Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · High Gloss Silver* · Chrome

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

See other optional accessories on Price List Catalogue

London handle

SWINGING
Keisy Series / KE-206

FRONT. 1 SWINGING DOOR ON FIXED PANEL

Chrome finish - Extra-Clear glass - London handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



Magnetic closure. Opens outwards.

KE-206 OVERLAP



Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes

White* Silver* High Gloss Silver* Chrome

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

London handle

See other optional accessories on Price List Catalogue

SWINGING
Keisy Series / KE-207

FRONT. 2 SWINGING DOORS

High Gloss Silver finish · Extra-Clear glass · London handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



Magnetic closure. Can be opened inwards and outwards.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



White* Silver* High Gloss Silver* Chrome

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

London handle

See other optional accessories on Price List Catalogue

SWINGING

Keisy Series / KE-216

1 SWINGING DOOR ON FIXED + 1 FIXED SIDE PANEL

High Gloss Silver finish · Extra-Clear glass · London handle as standard.

Technical details



Measurements in mm

KE-216 OVERLAP



Features



Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · High Gloss Silver* · Chrome

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

London handle

See other optional accessories on Price List Catalogue

SWINGING

Keisy Series / KE-208

1 SWINGING DOOR ON WALL + 1 FIXED SIDE PANEL

High Gloss Silver finish · Extra-Clear glass · London handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



Magnetic closure. Can be opened inwards and outwards.

Features



Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · High Gloss Silver* · Chrome

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

London handle

See other optional accessories on Price List Catalogue

SWINGING

Keisy Series / KE-220

ANGULAR 2 SWINGING DOORS

High Gloss Silver finish · Extra-Clear glass · London handle as standard.

Technical details



Measurements in mm



TYPE OF CLOSURE



Magnetic closure. Opens outwards.

Features

8 mm

Swinging enclosure

H=1950 mm

TEKNO CLEAN

Included

+20 mm door offset

Glass

Extra-Clear

Acid

Smoke Grey

See more customised glass options on page 20

Profile finishes

White*

Silver*

High Gloss Silver*

Chrome

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

London handle

See other optional accessories on Price List Catalogue

NEWGLASS
SWINGING / FOLDING

For more information:

PROFILTEK

FEATURES:

- Enclosure for swinging or folding models. Can be opened inwards or outwards.
- 6 mm or 8 mm thick tempered glass.
- Hinges and brackets with ± 2 mm front offset.
- **Hinges can be replaced by wall-mounted profiles, with an offset up to + 15 mm**.
- Base profile with Chrome or Black finish.
- Equipped with magnetic or contact closure.
- Multi-position hinges and stabiliser bars in Chrome or Black.
- Folding models with magnetic hinge that ensures 180º positioning of the folding panels.
- Siena handle in Chrome or Black finish as standard.
- See optional accessories on the next pages.
- This Series has a marking stencil for easy installation (only for standard heights).
- Glass with Teknoclean treatment as standard.

NG-210 Front. 1 swinging door **P.74**

NG-205 Front. 1 swinging door + 1 fixed adjoining panel **P.75**

NG-206 Front. 1 swinging door on fixed **P.76**

NG-207 Front. 2 swinging doors **P.77**

NG-216 1 Swinging door on fixed + 1 fixed side panel **P.78**

NG-208 1 swinging door on wall + 1 fixed side panel **P.79**

NG-220 Angular. 2 swinging doors **P.80**

NG-213 Angular. 2 swinging doors + 2 fixed panels **P.81**

NG-218 Front. 2 folding panels **P.82**

NG-219 2 folding panels + 1 fixed side panel **P.83**

NG-226 Front. 2 folding panels + 2 fixed panels **P.84**

NG-227 Angular. 2 folding panels + 2 fixed panels **P.85**

SWINGING

Newglass Series / NG-210

FRONT. 1 SWINGING DOOR

Chrome finish - Extra-Clear glass - Imagik decoration available with Bruma model (NA- 09-02 C) - optional Oxford handle.

Technical details



Measurements in mm

Chrome

Black

TYPE OF CLOSURE



H ≤ 2000 mm

Magnetic closure. Opens outwards.



H > 2000 mm

Magnetic closure. Opens outwards.

Features

6 or 8 mm

Swinging enclosure

H=1950 mm

Fixed with 15 mm offset profile

+10 mm closing profile offset

TEKNO CLEAN

Included

Glass

Extra-Clear

Acid

Smoke Grey

See more customised glass options on page 20

Profile finishes

Chrome

Black

Standard accessories

See other optional accessories on Price List Catalogue

Siena handle (Colour according to profile)

SWINGING

Newglass Series / NG-205

FRONT. 1 SWINGING DOOR ON WALL + 1 FIXED ADJOINING PANEL

Black finish - Extra-Clear glass - Siena handle as standard.

Technical details



Measurements in mm

Chrome

Black

TYPE OF CLOSURE



Magnetic closure. Can be opened inwards or outwards.

Features

6 or 8 mm

Swinging enclosure

H=1950 mm

+15 mm fixed profile offset

TEKNO CLEAN

Included

Glass

Extra-Clear

Acid

Smoke Grey

See more customised glass options on page 20

Profile finishes

Chrome

Black

Standard accessories

See other optional accessories on Price List Catalogue

Siena handle (Colour according to profile)

SWINGING

Newglass Series / NG-206

FRONT. 1 SWINGING DOOR ON FIXED

Black finish - Extra-Clear glass - Imagik Model Light Decoration (FO- 01-02 B) - Siena handle as standard.

Technical details



Measurements in mm

Chrome

Black

TYPE OF CLOSURE



STANDARD: Magnetic closure. Opens outwards.



Magnetic closure. Opens outwards.

Features

6 or 8 mm

Swinging enclosure

H=1950 mm

+15mm fixed profile offset

+10 mm closing profile offset

TEKNO CLEAN

Included

Glass

Extra-Clear

Acid

Smoke Grey

See more customised glass options on page 20

Profile finishes

Chrome

Black

Standard accessories

See other optional accessories on Price List Catalogue

Siena handle (Colour according to profile)

SWINGING

Newglass Series / NG-207

FRONT. 2 SWINGING DOORS

Chrome finish - Extra-Clear glass - Siena handle as standard.

Technical details



Measurements in mm

Chrome

Black

TYPE OF CLOSURE



Magnetic closure. Can be opened inwards or outwards.

Features

6 or 8 mm

Swinging enclosure

H=1950 mm

TEKNO CLEAN

Included

Glass

Extra-Clear

Acid

Smoke Grey

See more customised glass options on page 20

Profile finishes

Chrome

Black

Standard accessories

See other optional accessories on Price List Catalogue

Siena handle (Colour according to profile)

SWINGING

Newglass Series / NG-216

1 SWINGING DOOR ON FIXED + 1 FIXED SIDE PANEL

Chrome finish - Extra-Clear glass - Siena handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



Magnetic closure.
Opens outwards.

Features



TEKNO CLEAN

Included

Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes

Chrome Black

Standard accessories

See other optional accessories on Price List Catalogue

Siena handle (Colour according to profile)

SWINGING

Newglass Series / NG-208

1 SWINGING DOOR ON WALL + 1 FIXED SIDE PANEL

Chrome finish · Extra-Clear glass · Optional Oslo knob.

Technical details



Measurements in mm

TYPE OF CLOSURE



Magnetic closure.
Opens outwards.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes

Chrome Black

Standard accessories

See other optional accessories on Price List Catalogue

Siena handle (Colour according to profile)

SWINGING

Newglass Series / NG-220

ANGULAR 2 SWINGING DOORS

Black finish - Extra-Clear glass - Siena handle as standard.

Technical details



Measurements in mm

Chrome

Black

TYPE OF CLOSURE



Magnetic closure.
Opens outwards.

Features



Glass

Extra-Clear

Acid

Smoke Grey

See more customised glass options on page 20

Profile finishes

Chrome

Black

Standard accessories

See other optional accessories on Price List Catalogue

Siena handle (Colour according to profile)

SWINGING

Newglass Series / NG-213

ANGULAR. 2 SWINGING DOORS + 2 FIXED PANELS

Chrome finish - Extra-Clear glass - Siena handle as standard.

Technical details



Measurements in mm

Chrome

Black

TYPE OF CLOSURE



Magnetic closure.
Opens outwards.

Features



Included

Glass

Extra-Clear

Acid

Smoke Grey

See more customised glass options on page 20

Profile finishes

Chrome

Black

Standard accessories

See other optional accessories on Price List Catalogue

Siena handle (Colour according to profile)

FOLDING

Newglass Series / NG-218

FRONT. 1 FOLDING DOOR

Chrome finish - Extra-Clear glass - Siena handle as standard.

Technical details



Measurements in mm

OPTION WITH ADDITIONAL PANEL



Fixed panel in alignment with the folding section (Panel closes against the fixed)

Chrome

Black

Features

6 or 8 mm

Folding enclosure

H=1950 mm

Included

+10 mm closing profile offset

Glass

Extra-Clear

Acid

Smoke Grey

See more customised glass options on page 20

Profile finishes

Chrome

Black

Standard accessories

See other optional accessories on Price List Catalogue

Siena handle (Colour according to profile)

FOLDING

Newglass Series / NG-219

FRONT. 1 FOLDING DOOR + 1 FIXED SIDE PANEL

Black finish - Extra-Clear glass - Turín handle optional.

Technical details



Measurements in mm

OPTION WITH ADDITIONAL PANEL



TYPE OF CLOSURE



Magnetic closure.
Opens outwards.

Features

6 or 8 mm

Folding enclosure

H=1950 mm

+15mm profile offset on each fixed panel with profile

Included

Glass

Extra-Clear

Acid

Smoke Grey

See more customised glass options on page 20

Profile finishes

Chrome

Black

Standard accessories

See other optional accessories on Price List Catalogue

Siena handle (Colour according to profile)

FOLDING
Newglass Series / NG-226

FRONT. 2 FOLDING DOORS

Chrome finish - Extra-Clear glass - Siena handle as standard.

Technical details



Measurements in mm

Chrome

Black

TYPE OF CLOSURE



Magnetic closure. Can be opened inwards or outwards.

Features



TEKNO CLEAN

Included

Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes

Chrome

Black

Standard accessories

See other optional accessories on Price List Catalogue

Siena handle (Colour according to profile)

FOLDING
Newglass Series / NG-227

ANGULAR 2 FOLDING DOORS

Chrome finish - Extra-Clear glass - Siena handle as standard.

Technical details



Measurements in mm

Chrome

Black

TYPE OF CLOSURE



Magnetic closure.

Features



TEKNO CLEAN

Included

Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes

Chrome

Black

Standard accessories

See other optional accessories on Price List Catalogue

Siena handle (Colour according to profile)

ARCOIRIS PLUS
SWINGING / FOLDING

For more information:

FEATURES:

- Enclosure for swinging or folding models. For swinging doors - inwards or outwards opening. For folding doors - can be opened inwards or outwards. Inner fold.
- Opening with raise/lower mechanism.
- 6 mm thick tempered glass.
- **Panel offset: +20 mm. Fixed offset: +15 mm.**
- Magnetic or contact closure.
- Double-seal system on profile.
- Base profile in Chrome or Black finish.
- Stabiliser bars and multi-position hinges in Chrome or Black.
- Folding models with magnetic hinge that ensures 180º positioning of the folding panels.
- Sofia knob as standard for swinging models. Siena handle for folding models. Chrome or Black finish.
- See optional accessories on Price List Catalogue.
- Glass with Teknoclean treatment as standard.

AC-210 Front. 1 swinging door **P.88**

AC-205 Front. 1 swinging door + 1 fixed panel **P.89**

AC-206 Front. 1 swinging door on fixed panel **P.90**

AC-207 Front. 2 swinging doors **P.91**

AC-216 1 Swinging door on fixed panel + 1 fixed side panel **P.92**

AC-208 1 swinging door on wall + 1 fixed side panel **P.93**

AC-220 Angular. 2 swinging doors **P.94**

AC-213 Angular. 2 swinging doors + 2 fixed panels **P.95**

AC-240 Front. 1 fixed panel + 1 hinged shutter inwards and outwards **P.96**

AC-218 Front. 2 folding panels **P.97**

AC-219 2 folding panels + 1 fixed side panel **P.98**

SWINGING

Arcoiris Plus Series / AC-210

FRONT. 1 SWINGING DOOR

Black finish - Extra-Clear glass - Optional Siena handle.

Technical details



Measurements in mm

OPTION WITH ADDITIONAL SIDE PANEL



TYPES OF CLOSURES



STANDARD: Opens outwards.

Can be opened inwards and outwards. Contact closure.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



White* Silver* High Gloss Silver* Chrome Black

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories



Sofía knob

See other optional accessories on Price List Catalogue

SWINGING

Arcoiris Plus Series / AC-205

FRONT. 1 SWINGING DOOR ON WALL + 1 FIXED ADJOINING PANEL

Black finish - Extra-Clear glass - Turín handle optional.

Technical details



Measurements in mm

OPTION WITH ADDITIONAL SIDE PANEL



TYPES OF CLOSURES



Magnetic closure. Opens outwards.

Magnetic closure. Can be opened inwards and outwards.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



White* Silver* High Gloss Silver* Chrome Black

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories



Sofía knob

See other optional accessories on Price List Catalogue

SWINGING

Arcoiris Plus Series / AC-206

FRONT. 1 SWINGING DOOR ON FIXED PANEL

Silver finish - Extra-Clear glass - Sofía knob as standard.

Technical details



Measurements in mm

TYPES OF CLOSURES



STANDARD: Opens outwards.

Can be opened inwards and outwards.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



White* Silver* High Gloss Silver* Chrome Black

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories



Sofía knob

See other optional accessories on Price List Catalogue

SWINGING

Arcoiris Plus Series / AC-207

FRONT. 2 SWINGING DOORS

High Gloss Silver finish - Extra-Clear glass - Imagik decoration model Italic (FO-23-20) - Sofía knob as standard.

Technical details



Measurements in mm

OPTION WITH ADDITIONAL SIDE PANEL



TYPES OF CLOSURES



Opens outwards.

STANDARD: Can be opened inwards and outwards.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



White* Silver* High Gloss Silver* Chrome Black

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories



Sofía knob

See other optional accessories on Price List Catalogue

SWINGING

Arcoiris Plus Series / AC-216

1 SWINGING DOOR ON FIXED PANEL+ 1 FIXED SIDE PANEL

Silver finish - Extra-Clear glass - Sofía knob as standard.

Technical details



Measurements in mm

TYPES OF CLOSURES



Opens outwards.

Can be opened inwards and outwards.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



White* Silver* High Gloss Silver* Chrome Black

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories



Sofía knob

See other optional accessories on Price List Catalogue

SWINGING

Arcoiris Plus Series / AC-208

1 SWINGING DOOR ON WALL + 1 FIXED SIDE PANEL

Black finish - Imagik Vendome II model decoration (COS-15-72) - Optional Siena handle.

Technical details



Measurements in mm

OPTION WITH ADDITIONAL PANEL



TYPES OF CLOSURES



Opens outwards.

Can be opened inwards and outwards.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



White* Silver* High Gloss Silver* Chrome Black

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories



Sofía knob

See other optional accessories on Price List Catalogue

SWINGING

Arcoiris Plus Series / AC-220

ANGULAR 2 SWINGING DOORS

High Gloss Silver finish · Extra-Clear glass · Optional Turín handle.

Technical details



Measurements in mm

TYPES OF CLOSURES



Opens outwards.

Features



TEKNO CLEAN

Included

Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · High Gloss Silver* · Chrome · Black

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories



Sofía knob

See other optional accessories on Price List Catalogue

SWINGING

Arcoiris Plus Series / AC-213

ANGULAR 2 SWINGING DOORS + 2 FIXED PANELS

High Gloss Silver finish - Extra-Clear glass - Sofía knob as standard.

Technical details



Measurements in mm

Features



TEKNO CLEAN

Included

Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · High Gloss Silver* · Chrome · Black

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories



Sofía knob

See other optional accessories on Price List Catalogue

FIXED

Fixed One / AC-240 Series

FRONT. 1 FIXED PANEL + 1 HINGED SHUTTER INWARDS AND OUTWARDS OPENING

Black finish - Smoke Grey glass.

Technical details



Measurements in mm

Features



Glass

Extra-Clear | Acid | Smoke Grey

See more customised glass options on page 20

Profile finishes



White* | Silver* | High Gloss Silver* | Chrome | Black

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

FOLDING

Arcoiris Plus Series / AC-218

FRONT. 2 FOLDING PANELS

High Gloss Silver finish - Smoke Grey glass - Optional Nantes handle.

Technical details



Measurements in mm

OPTION WITH ADDITIONAL PANEL



Fixed panel in alignment with the folding section (The door emerges from the wall).



Fixed panel in alignment with the folding section (The panel closes against the fixed panel).

TYPES OF CLOSURES



STANDARD: Opens outwards.



Can be opened inwards and outwards.

Features



Glass

Extra-Clear | Acid | Smoke Grey

See more customised glass options on page 20

Profile finishes



White* | Silver* | High Gloss Silver* | Chrome | Black

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

Siena handle (Colour according to profile)

See other optional accessories on Price List Catalogue

FOLDING

Arcoiris Plus Series / AC-219

2 FOLDING PANELS + 1 FIXED SIDE PANEL

Black finish - Extra-Clear glass - Siena handle as standard.

Technical details



Measurements in mm

OPTION WITH ADDITIONAL PANEL



TYPES OF CLOSURES



STANDARD: Opens outwards.

Features



Glass

Extra-Clear | Acid | Smoke Grey

See more customised glass options on page 20

Profile finishes



White* | Silver* | High Gloss Silver* | Chrome | Black

*** For these profile finishes: handles, hinges, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

Siena handle (Colour according to profile)

See other optional accessories on Price List Catalogue

VANITY
SLIDING

For more information:

FEATURES:

- Shower enclosure with sliding panels with lower bearings.
- 8 mm thick tempered glass.
- **+ 10 mm profile offset.**
- Anti-rollover system for panels.
- Roma handle as standard in Chrome, Black, Matt White or Matt Gold finish.
- Bearing height is adjustable by 5 mm.
- With contact or magnetic closure. U-type closure profile with internal seal.
- Glass with Teknoclean treatment as standard.

PROFILTEK

NEW

AVAILABLE FROM:
JUNE 2022

VY-210 Front. 1 sliding door + 1 fixed panel **P.102**

VY-250 Front. 1 sliding door + 1 fixed panel **P.103**

VY-225 Front. 2 sliding doors + 2 fixed panels **P.104**

VY-216 1 sliding door + 1 fixed panel + 1 fixed side panel **P.105**

VY-220 Angular. 2 sliding doors + 2 fixed panels **P.106**

SLIDING

Vanity Series / VY-210

FRONT. 1 SLIDING DOOR + 1 FIXED PANEL

Black finish · Extra-Clear glass · Roma handle as standard.

Technical details



Measurements in mm

CLOSED



OPEN



Features

TEKNO CLEAN

Included

Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White · High Gloss Silver · Chrome · Black · Matt Gold

Standard accessories

See other optional accessories on Price List Catalogue

Roma handle (Colour according to profile)

SLIDING

Vanity Series / VY-250

FRONT. 1 SLIDING DOOR + 1 FIXED PANEL

Black finish · Extra-Clear glass · Roma handle as standard.

Technical details



Measurements in mm

Features



TEKNO CLEAN

Included

Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White · High Gloss Silver · Chrome · Black · Matt Gold

Standard accessories

See other optional accessories on Price List Catalogue

Roma handle (Colour according to profile)

SLIDING

Vanity Series / VY-225

FRONT. 2 SLIDING DOORS + 2 FIXED PANELS

Chrome finish · Extra-Clear glass · Roma handle as standard.

Technical details



Measurements in mm

Features



TEKNO CLEAN

Included

Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White | High Gloss Silver | Chrome | Black | Matt Gold

Standard accessories

See other optional accessories on Price List Catalogue

Roma handle (Colour according to profile)

SLIDING

Vanity Series / VY-216

1 SLIDING DOOR + 1 FIXED PANEL + 1 FIXED SIDE PANEL

Matt White finish - Extra-Clear glass - Roma handle as standard.

Technical details



Measurements in mm

Features



TEKNO CLEAN

Included

Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White | High Gloss Silver | Chrome | Black | Matt Gold

Standard accessories

See other optional accessories on Price List Catalogue

Roma handle (Colour according to profile)

SLIDING

Vanity Series / VY-220

ANGULAR 2 SLIDING DOORS + 2 FIXED PANELS

High Gloss Silver finish - Extra-Clear glass - Roma handle as standard.

Features

8 mm

H=1950 mm

+10 mm offset

Anti-rollover system

TEKNO CLEAN

Included

Profile finishes



Matt White | High Gloss Silver | Chrome | Black | Matt Gold

Technical details



Measurements in mm

Glass

Extra-Clear | Acid | Smoke Grey

See more customised glass options on page 20

Standard accessories

Roma handle (Colour according to profile)

See other optional accessories on Price List Catalogue

VITA
SLIDING

For more information:

FEATURES:

- Shower enclosure with sliding panels.
- 8 mm thick tempered glass.
- **+ 10 mm guide bracket offset.**
- Bearing height is adjustable by 4 mm.
- Anti-rollover system for panels.
- Without lower guide.
- Soft closure included in models VA-210, VA-216 and VA-250.
- Contact closure on 2-panel front and magnetic closure on angular enclosures and 4-panel front.
- Base profile in Chrome, Black or Matt White finish.
- Turin handle as standard with Chrome, Black or Matt White finish.
- See optional accessories on Price List Catalogue.
- Quick-assembly system.
- Glass with Teknoclean treatment as standard.

PROFILTEK

GENERALITAT VALENCIANA · IMPIVA · UNIÓN EUROPEA

VA-210 Front. 1 sliding suspended door + 1 fixed panel **P.110**

VA-211 Front. 1 sliding suspended door behind wall **P.111**

VA-230 Front. 1 sliding suspended door + 1 fixed panel + 1 adjoining fixed panel **P.112**

VA-250 Front. 1 sliding suspended door + 1 fixed panel **P.113**

VA-225 Front. 2 sliding suspended doors + 2 fixed panels **P.114**

VA-216 1 sliding suspended door + 1 fixed panel + 1 fixed side panel **P.115**

VA-220 Angular. 2 sliding suspended doors + 2 fixed panels **P.116**

VA-221 Angular. 1 sliding suspended door behind wall + 1 sliding suspended door + 1 fixed panel **P.117**

SLIDING

Vita Series / VA-210

FRONT. 1 SLIDING SUSPENDED DOOR + 1 FIXED PANEL

Matt White finish - Extra-Clear glass - Turín handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



STANDARD: Profile with contact closure.

MADE TO MEASURE: Contact closure.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White Silver Chrome Black

Standard accessories

See other optional accessories on Price List Catalogue

Turín handle (Colour according to profile)

SLIDING

Vita Series / VA-211

FRONT. 1 SLIDING SUSPENDED DOOR BEHIND WALL.

Chrome finish · Extra-Clear glass · Turín handle as standard.

Technical details



Measurements in mm

OPTION WITH ADDITIONAL PANEL



TYPE OF CLOSURE



MADE TO MEASURE: Contact closure.



OPTIONAL: Profile with contact closure.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes

Matt White Silver Chrome Black

Standard accessories

See other optional accessories on Price List Catalogue

Turín handle (Colour according to profile)

SLIDING
Vita Series / VA-230

FRONT. 1 SLIDING SUSPENDED DOOR + 1 FIXED PANEL + 1 ADJOINING FIXED PANEL

Chrome finish - Smoke Grey glass - Glass Hole optional.

Technical details



Measurements in mm

TYPE OF CLOSURE



Contact closure.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White Silver Chrome Black

Standard accessories

See other optional accessories on Price List Catalogue

Turín handle (Colour according to profile)

SLIDING
Vita Series / VA-250

FRONT. 1 SLIDING SUSPENDED DOOR + 1 FIXED PANEL

Chrome finish - Extra-Clear glass - Imagik Fog design (CL-10-07 B) - Optional Oxford handle.

Technical details



Measurements in mm

OTHER INFORMATION

The position of the stabiliser bar is fixed.

F stands for the dimension of the enclosure, measured from the wall to the end of the guide. The width of the bar at its base is R=26 mm.

When the enclosure is completely closed, the total width of the fixed and sliding combination is F-30 mm.



Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White Silver Chrome Black

Standard accessories

See other optional accessories on Price List Catalogue

Turín handle (Colour according to profile)

SLIDING

Vita Series / VA-225

FRONT. 2 SLIDING SUSPENDED DOORS + 2 FIXED PANELS

Black finish - Extra-Clear glass - Turín handle as standard. Black finish.

Technical details



Measurements in mm

OPTION WITH ADDITIONAL PANEL



TYPE OF CLOSURE



Magnetic closure

Features



8 mm · H=1950 mm · +10 mm offset · Anti-rollover system

No lower profiles · Quick-assembly system · Included

Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes

Matt White · Silver · Chrome · Black

Standard accessories

See other optional accessories on Price List Catalogue

Turín handle (Colour according to profile)

SLIDING

Vita Series / VA-216

1 SLIDING SUSPENDED DOOR + 1 FIXED PANEL + 1 FIXED SIDE PANEL

Chrome finish · Extra-Clear glass · Optional Oxford handle.

Technical details



Measurements in mm

TYPE OF CLOSURE



Contact closure

OPTION WITH ADDITIONAL PANEL



Features



8 mm · H=1950 mm · +10 mm offset · Soft closure

Anti-rollover system · No lower profiles · Quick-assembly system · Included

Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes

Matt White · Silver · Chrome · Black

Standard accessories

See other optional accessories on Price List Catalogue

Turín handle (Colour according to profile)

SLIDING

Vita Series / VA-220

ANGULAR 2 SLIDING SUSPENDED DOORS + 2 FIXED PANELS

Black finish - Extra-Clear glass - Imagik Capitoné model (TEX-06-02 B) - Turín handle in Black finish as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



Magnetic closure

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White Silver Chrome Black

Standard accessories

See other optional accessories on Price List Catalogue

Turín handle (Colour according to profile)

SLIDING

Vita Series / VA-221

ANGULAR 1 SLIDING SUSPENDED DOOR BEHIND WALL + 1 SLIDING DOOR + 1 FIXED PANEL

Chrome finish · Extra-Clear glass · Turín handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



Magnetic closure

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White Silver Chrome Black

Standard accessories

See other optional accessories on Price List Catalogue

Turín handle (Colour according to profile)

HIT
SLIDING

For more information:

FEATURES:

- Shower enclosure with sliding panels.
- 6 mm thick tempered glass.
- **+ 10 mm guide bracket offset.**
- Sliding panels without bottom profiles.
- Anti-rollover system for panels.
- Height of bearings adjustable by 4 mm.
- Sliding panel release system for easy cleaning.
- Magnetic or contact closure, depending on model.
- Soft closure included in items **HI-210, HI-216, HI-230 and HI-250**. As an option closure can be controlled with a stopper.
- Base profile with Chrome or Black finish.
- Standard París handle in Chrome or Black finish.
- See optional accessories on Price List Catalogue.
- Glass with Teknoclean treatment as standard.

PROFILTEK

HI-210 Front. 1 sliding suspended door
+ 1 fixed panel **P.120**

HI-230 Front. 1 sliding suspended door + 1 fixed panel
+ 1 fixed adjoining panel **P.121**

HI-250 Front. 1 sliding suspended door
+ 1 fixed panel **P.122**

HI-225 Front. 2 sliding suspended doors
+ 2 fixed panels **P.123**

HI-216 1 sliding suspended door + 1 fixed panel
+ 1 fixed side panel **P.124**

HI-220 Angular. 2 sliding suspended doors
+ 2 fixed panels **P.125**

SLIDING

Hit Series / HI-210

FRONT. 1 SLIDING SUSPENDED DOOR + 1 FIXED PANEL

Black finish · Extra-Clear glass · París handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



STANDARD: Profile with contact closure.

MADE TO MEASURE: Contact closure.

Features



Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · High Gloss Silver* · Chrome · Black

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

París handle (Colour according to profile)

See other optional accessories on Price List Catalogue

SLIDING

Hit Series / HI-230

FRONT. 1 SLIDING SUSPENDED DOOR + 1 FIXED PANEL + 1 FIXED ADJOINING PANEL

High Gloss Silver finish - Smoke Grey glass - París handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



Contact closure.

Features



Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · High Gloss Silver* · Chrome · Black

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

París handle (Colour according to profile)

See other optional accessories on Price List Catalogue

SLIDING

Hit Series / HI-250

FRONT. 1 SLIDING SUSPENDED DOOR + 1 FIXED PANEL

High Gloss Silver finish · Extra-Clear glass · Optional Turín handle.

Technical details



Measurements in mm

OTHER INFORMATION

The position of the stabiliser bar is fixed.

F stands for the dimension of the enclosure, measured from the wall to the end of the guide. The width of the bar at its base is R=26 mm.

When the enclosure is completely closed, the total width of the fixed and sliding door is F-35 mm.



Features



Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · High Gloss Silver* · Chrome · Black

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

París handle (Colour according to profile)

See other optional accessories on Price List Catalogue

SLIDING

Hit Series / HI-225

FRONT. 2 SLIDING SUSPENDED DOORS + 2 FIXED PANELS

High Gloss Silver finish · Extra-Clear glass · Optional Turín handle.

Technical details



Measurements in mm

OPTION WITH ADDITIONAL PANEL



TYPE OF CLOSURE



Magnetic closure

Features



Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · High Gloss Silver* · Chrome · Black

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

París handle (Colour according to profile)

See other optional accessories on Price List Catalogue

SLIDING

Hit Series / HI-216

1 SLIDING SUSPENDED DOOR + 1 FIXED PANEL + 1 FIXED SIDE PANEL

High Gloss Silver finish · Extra-Clear glass · Optional Siena handle.

Technical details



Measurements in mm

TYPE OF CLOSURE



Contact closure

OPTION WITH ADDITIONAL PANEL



Features



Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · High Gloss Silver* · Chrome · Black

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

París handle (Colour according to profile)

See other optional accessories on Price List Catalogue

SLIDING

Hit Series / HI -220

ANGULAR 2 SLIDING SUSPENDED DOORS + 2 FIXED PANELS

High Gloss Silver finish · Extra-Clear glass · París handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



Magnetic closure

Features



Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · High Gloss Silver* · Chrome · Black

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

París handle (Colour according to profile)

See other optional accessories on Price List Catalogue

WIND
SLIDING

For more information:

FEATURES:

- Shower enclosure with sliding panels.
- 6 mm thick tempered glass.
- **+ 15 mm profile offset.**
- Double bearings (height adjustable by 5 mm).
- Anti-rollover system for panels.
- No lower profiles.
- Equipped with magnetic or contact closure.
- Chrome finish base profile.
- Mónaco handle in Chrome finish as standard.
- See optional accessories on Price List Catalogue.
- Quick-assembly system.
- Glass with Teknoclean treatment as standard.

PROFILTEK

WI-210 Front. 1 sliding suspended door + 1 fixed panel **P.128**

WI-230 Front. 1 sliding suspended door + 1 fixed panel + 1 fixed adjoining panel **P.129**

WI-225 Front. 2 sliding suspended doors + 2 fixed panels **P.130**

WI-216 1 sliding suspended door + 1 fixed panel + 1 fixed side panel **P.131**

WI-220 Angular. 2 sliding suspended doors + 2 fixed panels **P.132**

WI-260 Curved. 2 sliding suspended doors + 2 fixed panels **P.133**

SLIDING
Wind Series / WI-210

FRONT. 1 SLIDING SUSPENDED DOOR + 1 FIXED PANEL

High Gloss Silver finish - Extra-Clear glass - Mónaco handle as standard - towel rack Viena as an option.

Technical details



Measurements in mm

TYPE OF CLOSURE



Profile with contact closure.

SECTION VIEW



Features



6 mm | H=1950 mm | +15 mm offset | Anti-rollover system

No lower profiles | Quick-assembly system | Included

Glass

Extra-Clear | Acid | Smoke Grey

See more customised glass options on page 20

Profile finishes

White | Silver | High Gloss Silver

Standard accessories

See other optional accessories on Price List Catalogue

Mónaco handle

SLIDING
Wind Series / WI-230

FRONT. 1 SLIDING SUSPENDED DOOR + 1 FIXED PANEL + 1 FIXED ADJOINING PANEL

High Gloss Silver finish · Extra-Clear glass · Imagik decoration Medium model (FO-02-04 B) · Optional Versailles knob.

Technical details



Measurements in mm

TYPE OF CLOSURE



Contact closure.

Features



6 mm | H=1950 mm | +15mm offset | Anti-rollover system

No lower profiles | Quick-assembly system | Included

Glass

Extra-Clear | Acid | Smoke Grey

See more customised glass options on page 20

Profile finishes



White | Silver | High Gloss Silver

Standard accessories

See other optional accessories on Price List Catalogue

Mónaco handle

SLIDING

Wind Series / WI-225

FRONT. 2 SLIDING SUSPENDED DOORS + 2 FIXED PANELS

High Gloss Silver finish · Extra-Clear glass · Mónaco handle as standard.

Technical details



Measurements in mm

OPTION WITH ADDITIONAL PANEL



TYPE OF CLOSURE



Magnetic closure

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



White Silver High Gloss Silver

Standard accessories

Mónaco handle

See other optional accessories on Price List Catalogue

SLIDING

Wind Series / WI-216

1 SLIDING SUSPENDED DOOR + 1 FIXED DOOR + 1 FIXED SIDE PANEL

High Gloss Silver finish · Extra-Clear glass · Optional Siena handle.

Technical details



Measurements in mm

TYPE OF CLOSURE



Magnetic closure.

OPTION WITH ADDITIONAL PANEL



Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



White Silver High Gloss Silver

Standard accessories

Mónaco handle

See other optional accessories on Price List Catalogue

SLIDING

Wind Series / WI -220

ANGULAR 2 SLIDING SUSPENDED DOORS + 2 FIXED PANELS

High Gloss Silver finish · Extra-Clear glass · Mónaco handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



Magnetic closure

Features



Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White · Silver · High Gloss Silver

Standard accessories

Mónaco handle

See other optional accessories on Price List Catalogue

SLIDING

Wind Series / WI-260

CURVED. 2 SLIDING SUSPENDED DOORS + 2 FIXED PANELS

High Gloss Silver finish · Extra-Clear glass · Évora handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



Magnetic closure

Features



Glass

Extra-Clear

Profile finishes



White · Silver · High Gloss Silver

Standard accessories

Évora handle

PROFILTEK

NELL
SLIDING

For more information:

NE-210 Front. 2 sliding suspended doors
+ 1 fixed panel **P.136**

NE-216 2 sliding suspended door + 1 fixed panel
+ 1 fixed side panel **P.137**

FEATURES:

- Shower enclosure with 2 sliding panels and 1 fixed panel.
- 6 mm thick tempered glass. fixed side panels 8 mm thick.
- **+15 mm profile offset.**
- Double set of bearings.
- Closure with seals.
- No lower profiles.
- Anti-rollover system for panels.
- Chrome-finished Nantes handle as standard.
- See optional accessories on the next pages.
- Quick-assembly system.
- Glass with Teknoclean treatment as standard.

SLIDING

Nell Series / NE-210

FRONT. 2 SLIDING SUSPENDED DOORS + 1 FIXED PANEL

High Gloss Silver finish - Extra-Clear glass - Nantes handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



Profile with contact closure.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



White* Silver* High Gloss Silver*

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

Nantes handle

See other optional accessories on Price List Catalogue

SLIDING

Nell Series / NE-216

2 SLIDING SUSPENDED DOORS + 1 FIXED PANEL + 1 FIXED SIDE PANEL

High Gloss Silver finish · Extra-Clear glass · Optional Turín handle.

Technical details



Measurements in mm

TYPE OF CLOSURE



Contact closure

Features



*8 mm lateral fixed.

Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



White* Silver* High Gloss Silver*

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

Nantes handle

See other optional accessories on Price List Catalogue

PROFILTEK

SERIES SPECIALS

For more information:

FEATURES:

» At Profiltek, we have been manufacturing made-to-measure products for 30 years. As pioneers in customisation and bespoke solutions, we are able to manufacture all our shower enclosure models according to the customer's aesthetic or sizing needs. We have a team of experienced professionals who are determined to offer you the best solution to any challenge you may ask us to carry out.

In this chapter, you will find some examples of products adapted to different needs.

ES-218 Angular. 1 fixed panel + 1 sliding door + 1 folding door **P.140**

ES-210 Angular. 1 fixed panel + 1 sliding door + 1 swinging door **P.141**

ES-215 Angular. 1 fixed panel + 1 sliding door + 1 folding door **P.142**

ES-213 Front. 2 swinging doors + 1 space divider **P.143**

ES-225 Front. 2 sliding doors + 2 fixed panels + 1 space divider **P.144**

SPECIALS

Special Series / ES-218

ANGULAR 1 FIXED PANEL + 1 SLIDING DOOR + 1 FOLDING DOOR

Black finish · Extra-Clear glass · Optional Sofía knob.

Technical details



Measurements in mm

Features



Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · Chrome · Black

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

Nanteshandle

See other optional accessories on Price List Catalogue

SPECIALS

Special Series / ES-210

ANGULAR 1 FIXED PANEL + 1 SLIDING DOOR + 1 SWINGING DOOR

Chrome finish · Extra-Clear glass · Nantes handle as standard.

Technical details



Measurements in mm

Features



Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · Chrome · Black

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

Nanteshandle

See other optional accessories on Price List Catalogue

SPECIALS

Special Series / ES-215

ANGULAR 1 FIXED PANEL + 1 SLIDING DOOR + 1 FOLDING DOOR

Chrome finish · Extra-Clear glass · Nantes handle as standard.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



Silver* Chrome Black

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

Nanteshandle

See other optional accessories on Price List Catalogue

SPECIALS

Special Series / ES-213

FRONT. 2 SWINGING DOORS + 1 SPACE DIVIDER

ES-213 + Fixed NG + OT-2016. Chrome finish · Extra-Clear glass + Acid Glass · Optional Oxford handle.

Features



Profile finishes

Chrome Black

Technical details



Chrome Black

Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Standard accessories

Nantes handle

See other optional accessories on Price List Catalogue

SPECIALS

Special Series / ES-225

FRONT. 2 SLIDING DOORS + 2 FIXED PANELS + 1 SPACE DIVIDER

Black finish · Extra-Clear glass + Acid Glass · Turín handle as standard.

Features



Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White · Silver · Chrome · Black

Standard accessories

Turín handle (Colour according to profile)

See other optional accessories on Price List Catalogue

SERIES PMR

For more information:

FEATURES:

- Shower enclosure with swinging or folding panels.
- 6 mm thick tempered glass.
- +20 mm profile offset.
- Equipped with base profile and magnetic closure.
- The magnetic hinge ensures 180° positioning of the folding panels.
- Double-seal sealing system on profile.
- Nantes handle as standard.
- Chrome finish base profile.
- Teknoclean treatment as standard.

PROFILTEK

AS-232 Front. 2 swinging doors (4 independent panels) **P.148**

AS-236 Angular. 2 swinging doors (4 independent panels) **P.149**

AS-230 Front. 1 swinging door (2 independent panels) **P.150**

AS-210 Front. 1 swinging door **P.151**

AS-218 Front. 2 swinging doors **P.152**

PMR

PMR Series / AS-232

FRONT. 2 SWINGING DOORS (4 INDEPENDENT PANELS)

Black finish · Extra-Clear glass · Nantes handle as standard.

Technical details



Measurements in mm

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



White* Silver* High Gloss Silver* Chrome Black

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

Nantes handle

See other optional accessories on Price List Catalogue

PMR

PMR Series / AS-236

ANGULAR 2 SWINGING DOORS (4 INDEPENDENT PANELS)

Chrome finish · Extra-Clear glass · Nantes handle as standard.

Technical details



Measurements in mm

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



White* Silver* High Gloss Silver* Chrome Black

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

Nantes handle

See other optional accessories on Price List Catalogue

PMR

PMR Series / AS-230

FRONT. 1 SWINGING DOOR (2 INDEPENDENT PANELS)

Chrome finish · Extra-Clear glass · Nantes handle as standard.

Technical details



Measurements in mm

Features



Swinging enclosure · 6 mm · H=1950 mm · +20 mm offset · Included

Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · High Gloss Silver* · Chrome · Black

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

Nantes handle

See other optional accessories on Price List Catalogue

PMR

PMR Series / AS-210

FRONT. 1 SWINGING DOOR

Chrome finish · Extra-Clear glass · Nantes handle as standard.

Technical details



Measurements in mm

Features



Swinging enclosure · 6 mm · H=800 mm · +20 mm offset · Included

Glass

Extra-Clear · Acid · Smoke Grey

See more customised glass options on page 20

Profile finishes



White* · Silver* · High Gloss Silver* · Chrome · Black

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

Nantes handle

See other optional accessories on Price List Catalogue

PMR

PMR Series / AS-218

FRONT. 2 SWINGING DOORS

Black finish - Extra-Clear glass - Turín handle as standard. Black finish.

Technical details



Measurements in mm

Chrome

Black

Features



Folding enclosure | 6 mm | H=1950 mm | +20 mm offset | Included

Glass

Extra-Clear

Acid

Smoke Grey

See more customised glass options on page 20

Profile finishes



White* | Silver* | High Gloss Silver* | Chrome | Black

*** For these profile finishes: handles, knobs, towel racks, trims and base profiles are supplied in Chrome.**

Standard accessories

Nantes handle

See other optional accessories on Price List Catalogue

PROFILTEK

- KONVERT HIT is now available in Black and Glossy Chrome
- Optional closet with adjustable shelves
- Now available with side fixed panel

For more information:

Konvert SOLUTION

Kit to replace a bathtub with enclosure + shower tray + storage space.

Konvert SOLUTION



*In case of standard height of 1950 mm, the distance between shelves is 38 cm.

Turn your old bathtub into a new shower space with a large storage area.

1. Choose finish and dimensions of your KONVERT* shower tray.
2. Install your shower tray and inform us of the enclosure model and the dimensions of your space.
3. Install your enclosure and closet. **It's as quick and easy as that.**

FEATURES:

» Front enclosure with hinged closet panel.
» 6 mm-thick tempered glass.
» Closet with two shelves and cover in Acid finish.
» Turin handle (Chrome or Black) as standard.
» 6 mm fixed closure separator panel in Acid finish
» Wall profile with offset up to 20 mm.
» Fixed side panel with offset up 20 mm.
» Equipped with contact closure.
» Base profile in Chrome or Black finish.
» Multi-position stabiliser bar in Chrome or Black.
» Closures with profiles according to the enclosure model.

INSTALLATION VIDEO

https://youtu.be/-U9IetNIHIE

* Konvert configurations (enclosure + closet) are only available for the Konvert shower tray. It is not recommended to use this combination for any shower tray other than a Konvert.

Konvert - with adjustable shelves

OPTIONAL
(NO EXTRA COST)

» Optional height-adjustable shelves as required.
» Option to increase or decrease the number of shelves.
» Closet door with magnetic closure.
» No extra cost for this option.

KV

1. HIT. Front with 1 sliding panel + 1 fixed panel + 1 swinging closet panel · Black finish · Extra-Clear glass · Acid closet door · Acid glass shelves · Turín handle as standard with Black finish · White Konvert shower tray.

2. HIT WITH SIDE PANEL. Front with 1 sliding panel + 1 fixed panel + 1 swinging closet panel + 1 side panel · Chrome finish · Extra-Clear glass · Acid closet door and side panel · Acid finish shelves · Turín handle as standard · White Konvert shower tray.

KV

1. NEWGLASS SWINGING. Front with 1 fixed panel + 1 swinging panel + 1 swinging closet panel · Chrome finish · Extra-Clear glass · Mirastar mirror closet door · Acid finish shelves · Turín handle as standard · Konvert Black shower tray.

2. NEWGLASS FOLDING. Front with 2 folding panels + 1 swinging closet panel · Black finish · Extra-Clear glass · Acid closet door · Acid finish shelves · Turín handle as standard · Black finish · Konvert Anthracite shower tray.

1. ARCOIRIS PLUS FOLDING. Front 2 folding panels + 1 swinging closet panel · Chrome finish · Extra-Clear glass · Acid closet door · Acid finish shelves · Turín handle as standard · Konvert White shower tray.

KV

PROFILTEK

XXL
LARGE SIZE

For more information:

NEW

1

2

3

4

FEATURES:

- Profiltek, with more than 30 years of experience in designing products for the world of showers, fulfils the satisfaction and expectations of its customers and, most importantly, of its users by offering the XXL range. It may not seem innovative at first glance, but a larger shower enclosure provides enhanced comfort:
- No more stabiliser bars too close to the shower heads.
- Better protection against splashes.
- A wide range of solutions to meet your expectations.
- Tempered glass is available, 6 mm or 8 mm.
- Glass with Tecknoclean treatment.
- Wide choice of profile colours depending on the model: White, Matt White, Matt Black, High Gloss Silver, Silver and Matt Gold.
- Equipped with contact or magnetic seal closures.
- Several choices of optional handles.
- Heights can range from 2200 mm to 2600 mm depending on the series model.
- A solution that complies with the SECURE SPACE standard. French electrical standard NF C 15-100/A5.
- A more functional, chic and elegant shower offering 'XXL' comfort.

XXL MODELS:

1. OT-2000: Finishes available: Silver, High Gloss Silver, Matt White, Black and Matt Gold.
2. OT-2016: Finishes available: Silver, Matt White, Black and Matt Gold.
3. AC-210: Finishes available: Silver, High Gloss Silver, White and Black.
4. VA-210: Finishes available: Silver, Matt White and Black.

FIXED

Fixed One Series / OT-2000

1 SHOWER FIXED PANEL

Matt Gold finish ·Extra-Clear glass.

Technical details



Measurements in mm



GLASS 8 MM

A = 17 mm B = 35 mm

OT profile

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes

Matt White Silver High Gloss Silver Matt Gold Black

INSTALLATION VIDEO

youtu.be/MLchS8FLgss

FIXED

Fixed One Series / OT-2016

1 SHOWER FIXED FLOOR-WALL-CEILING PANEL

Black finish - Smoke Grey glass.

Technical details



Measurements in mm



A = 17 mm
B = 35 mm

Features

Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White Silver Black Matt Gold

SWINGING

Arcoiris Plus Series / AC-210

FRONT. 1 SWINGING DOOR

Black finish - Extra-Clear glass - Optional Siena handle.

Technical details



Measurements in mm

TYPES OF CLOSURES



Opens from the outside. Magnetic closure profile.

Can be opened inwards and outwards. Contact closure.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



White* Silver* High Gloss Silver* Black

*** Pour ces finitions de profilés: les poignées, pommeaux, porte-serviettes, décorations et profilés de base sont fournis en Chrome.**

Standard accessories



Sofía knob

See other optional accessories on Price List Catalogue

SLIDING

Vita / VA-210 Series

FRONT. 1 SLIDING SUSPENDED DOOR + 1 FIXED PANEL

Matt White finish - Extra-Clear glass - Turín handle as standard.

Technical details



Measurements in mm

TYPE OF CLOSURE



Profile with contact closure.



Contact closure.

Features



Glass

Extra-Clear Acid Smoke Grey

See more customised glass options on page 20

Profile finishes



Matt White Silver Black

Standard accessories

Turín handle (Colour according to profile)

See other optional accessories on Price List Catalogue

IMAGIK

DECORATIONS/ SATIN

Satin Decorations

WITH DIGITAL PRINTING

Bold

Medium



Whole



Italic

Regular

Rayas

Light

Splash



Malla

COMPLETE COLLECTION IN THE **VIRTUAL DECORATOR**

The satin decoration is applied to the inside of the enclosure.

Arrow (*)

Mariposas (*)



Degradé



Triangle (*)

Dots (*)

Personalised

MEASURING DECORATIONS

The height of the decoration is always fixed, both for our designs and those provided by our customers: 1150 mm.

There are no limitations for satin-finished glass.





OTHER INFORMATION

- Digitally-printed satin finishes are not available for curved enclosures. The sandblasting technique will only be provided for curved enclosures. Decorations marked with (*) are not available for curves with sandblasting.
- Decorations presented on Fixed One (OB-2000) model. The finishes, tones and features seen in the images shown may vary from the final result. These images are not contractually binding upon the manufacturer or distributor.

A world of possibilities at your fingertips

FEATURES

- Printing in 6 colours CMYK+White+Green (CMYKWG).
- Printing with ceramic inks.
- Maximum print resolution used: 1440dpi.
- Printed on Extra-clear, Blue and Smoke Grey glass.
- Option for customised decorations. **Please check feasibility, estimates and deadlines with Profiltek.**
- All our products can be printed except for the following: PMR, Stock and curved enclosures.
- Continuity of the graphics is ensured regardless of the number of glass panes and the size of the print of each bath enclosure model.
- Scratch-resistant.
- Choice of multiple colour options - please contact our Customer Service team.
- Application of printing on different areas of the enclosures depending on the type of graphic.
- The colours shown in the catalogue correspond to the appearance from exterior side of the enclosure, with a colour difference from the interior side.

COLOUR SCHEME

IMAGIK offers the customer the option to choose various alternatives: We offer a range of colours and print placement options. In this way, the customer has many options to decorate enclosures as desired, **subject to validation by our Technical Service team.**

01 02 03 04 05

06 07 08 09 10

11 13 15 18 19

20 21 22 72 CMYK

Available inks for Smoke Grey glass: ref.01 and 72. / Inks available for Blue glass: ref.01 and 11.

Possible printing locations

In all our themes, IMAGIK allows you to apply a selected image to different areas of enclosures. Depending on the patterns chosen by the customer, it is possible to integrate the image into the central, lower or upper section, or even the entirety of the glass.

SHOWER

APPROXIMATE HEIGHT

A — Full enclosure

B — Central area 1.15m

C — Lower area 1.15m

D — Lower detail area 0.7m

PIONEERS IN DIGITAL PRINTING

NOTE!

- Imagik is not available for the PMR, Stock and Curved enclosure series.
- Digital printing is done on the inside of the glass of the enclosures.
- Digital printing is not offered in curved enclosure models.
- The graphics will be applied from left to right depending on the configuration and the selected enclosure model (seen from the outside of the enclosures).
- A glass panel must be more than 250 mm wide to receive printing. For all other limitations, ask for details regarding each Series or model of enclosure.
- The dimensions of the printing surfaces are approximate.
- The colours shown on the graphics in the catalogue or on the website are merely indicative. After the application of translucent colours, the tones can be modified by a few factors, such as the degree of opacity of each colour, the tone of the background where the image is applied or the intensity of the light in front of or behind the glass.
- Any product not appearing in the catalogue will be treated as a special product and will be subject to a specific quotation and delivery time communicated by Profiltek. If customisation is desired, please see the price list of each Series.
- Four-colour process decorations are not available for Smoke Grey and Blue glass panels.

APPLICATION OF THE IMAGE ON THE ENCLOSURE

The printing of an image on the enclosure does not cover it entirely, but is limited to a certain area. This area can be A, B, C or D and is determined by the width of the enclosure requested by the customer. See page 172.

It is important to know that the Imagik printing process always starts from left to right, seen from the outside, regardless of the configuration of the enclosure.

POINTS TO REMEMBER

- The blue background of the graphics represents extra-clear glass. See example 1.
  Type A graphics are printed from the bottom of the glass, covering the entire enclosure. See example 2.
- The digital printing of the Vita, Wind, Nell, Hit, and Keisy enclosures shows an overlap of the panels, creating a visual effect that makes the printed overlap area appear darker. This is due to the superimposition of translucent coloured areas. See example 3.
- The size of the height of the printed area named "A", "B", "C" and "R" is the same for baths and showers. See example 4.
- In the case of the Relax, Siluetas and Leaves graphics, special heights of less than 1800 mm will not be offered. These graphics are only available in shower enclosures. See example 5.
- Please take into account that the continuity may be interrupted by the aluminium profiles. In this case, the digital printing does not take into account the spaces on the glass that are hidden by the profiles.
- In the case of graphics with large masses of colour, a so-called "football field" effect can occur. This is a normal effect whereby faint traces of the passages of the print heads may be visible.





IGK

Decoration range

CHECK OUR **VIRTUAL DECORATOR**
FOR THE COMPLETE COLLECTION

COSMOPOLITA VENDOME I

A Ref. COS-14-72

A Ref. COS-14-01

*Available only for OV and OT fixed panels.



Beyond these 3 dimensions, add value ATYPICAL 6

COSMOPOLITA VENDOME II

A Ref. COS-15-72

A Ref. COS-15-01

*Available only for OV and OT fixed panels.



Beyond these 3 dimensions, add value ATYPICAL 6

COSMOPOLITA VENDOME III

A Ref. COS-19-72

A Ref. COS-19-01



COSMOPOLITA VENDOME IV

A Ref. COS-23-72

A Ref. COS-23-01

*Available only for OV and OT fixed panels.



Beyond these 3 dimensions, add value ATYPICAL 6

COSMOPOLITA VENDOME V

A Ref. COS-24-72

A Ref. COS-24-01

*Available only for OV and OT fixed panels.



Beyond these 3 dimensions, add value ATYPICAL 6

COSMOPOLITA VENDOME VI

A Ref. COS-25-72

A Ref. COS-25-01

*Available only for OV and OT fixed panels.



Beyond these 3 dimensions, add value ATYPICAL 6

Decoration range

CHECK OUR **VIRTUAL DECORATOR**
FOR THE COMPLETE COLLECTION

COSMOPOLITA VENDOME I NORDIC

A Ref. COS-29-72

A Ref. COS-29-01

*Available only for Fixed Nordic 2001.



Beyond these 3 dimensions, add value ATYPICAL 6

COSMOPOLITA VENDOME IV NORDIC

A Ref. COS-26-72

A Ref. COS-26-01

*Available only for Fixed Nordic 2001.



Beyond these 3 dimensions, add value ATYPICAL 6

COSMOPOLITA VENDOME V NORDIC

A Ref. COS-27-72

A Ref. COS-27-01

*Available only for Fixed Nordic 2001.

Beyond these 3 dimensions, add value ATYPICAL 6

COSMOPOLITA RITUAL

A Ref. COS-22-99



COSMOPOLITA RANDOM

A Ref. COS-21-99

COSMOPOLITA PATCHWORK

A Ref. COS-20-72

Decoration range

CHECK OUR **VIRTUAL DECORATOR**
FOR THE COMPLETE COLLECTION

TEXTURE PUNTS

A B Ref. TEX-09-01

* The blue background of the graphics represents extra-clear glass.

Actual scale

TEXTURE PARALEL

A B Ref. TEX-10-18

Actual scale

TEXTURE HEXA

A B Ref. TEX-11-08



Actual scale

TEXTURE ISOMETRIC

A B Ref. TEX-12-04



Actual scale

TEXTURE NET

A B Ref. TEX-13-20



Actual scale

TEXTURE TISSUE



A B Ref. TEX-02-03



Actual scale

Decoration range

CHECK OUR **VIRTUAL DECORATOR**
FOR THE COMPLETE COLLECTION

TEXTURE DROP

A B Ref. TEX-03-01

*This is not available in 06 or 07



Actual scale

TEXTURE CAPITONÉ



A B Ref. TEX-06-02



Actual scale

TEXTURE DENIM

A B Ref. TEX-04-02



Actual scale

TEXTURE GUM

B Ref. TEX-07-01



*The blue background represents Clear glass.

TEXTURE MOSAIC

A B Ref. TEX-05-01



*The blue background represents Clear glass.

TEXTURE TILES

A B Ref. TEX-08-19



Decoration range

CHECK OUR **VIRTUAL DECORATOR**
FOR THE COMPLETE COLLECTION

NATURAL ZEN

R
Ref.
NA-06-004

*The maximum height of this image is 300mm.



NATURAL ENREDO

B C
Ref.
NA-03-0206

* The blue background of the graphics represents extra-clear glass.



Ref: NA-03-0107 NA-03-0111 NA-03-0206

NATURAL BRUMA

C
Ref.
NA-09-02



NATURAL BAMBÚ

C
Ref.
NA-02-0102

* The blue background of the graphics represents extra-clear glass.

CLASIK FOG

B C
Ref.
CL-10-02



Ref: CL-10-02 CL-10-07

FASHION CHICAS

B C
Ref.
FA-02-02

FOREVER ARROW



B
Ref.
FO-28-11

FOREVER MEDIUM

B
Ref.
FO-02-08

FOREVER BOLD

B
Ref.
FO-03-01

FOREVER WHOLE

B
Ref.
FO-20-09

FOREVER ITALIC

B
Ref.
FO-23-18

FOREVER MALLA

B
Ref.
FO-22-07

FOREVER REGULAR

B
Ref.
FO-21-04

FOREVER LIGHT

B
Ref.
FO-01-02

FOREVER DIGIT

B
Ref.
FO-11-10

FOREVER RAYAS

B
Ref.
FO-19-06

FOREVER DEGRADÉ



B
Ref.
FO-05-13

FOREVER VOLUTAS

B
Ref.
FO-18-15

FOREVER SPLASH



B
Ref.
FO-09-23

FOREVER DOTS

B
Ref.
FO-25-22

FOREVER TRIANGLE



B
Ref.
FO-26-05

CHECK OUR **VIRTUAL DECORATOR**
FOR THE COMPLETE COLLECTION

INFO TEK

188 Stabiliser bars

194 Profile trim

195 Case of atypical enclosure. Special packaging

196 Adjustable profiles

198 Enclosure installation videos

200 Measurements taking

202 Standard additional profiles

203 Order form

204 General conditions of sale

Multiposition stabiliser bar



FEATURES

- A single bar for the available thicknesses of 6, 8,10 and 12 mm.
- Adaptable to the length of the space. Supplied with a length of 1m for in-situ cutting.
- For longer dimensions, the length of the bar can be increased by up to 1.3m on request.
- In the case of a wall-to-wall bar, the length of the bar is 2000 mm. For larger sizes it is possible to increase the length of the bar up to 2500 mm. Any such request must be indicated when ordering.
- Chrome finish.
- A single bar that offers multiple positions: ANGULAR (right and left) or RIGHT.

ANGULAR-POSITIONED BAR:

L ≤ 700 mm



STRAIGHT-POSITIONED BAR:

L > 700mm





Chrome

Black

Matt White

Matt Gold

MULTI-POSITION BARS FOR FIXED PANELS

Glass-ceiling side



Floor-ceiling



Glass-ceiling



Wall-wall

MULTIPOSITION STABILISER BARS. OTHER CONFIGURATIONS

T-bar

Wall-wall

NORDIC FIXED STABILISER BAR

Matt White

Multi-position bar only available for Nordic Fixed.

High Gloss Silver

Matt Gold

Black

VANITY BAR

Matt White

Only available for Vanity Series.

Chrome

Black

Matt Gold

LYON LED BAR

Only available for One Fixed

Chrome

Black

STABILISER BAR + LED LUMINAIRE LIGHTS UP YOUR SHOWER AREA!

WALL-GLASS MULTI-POSITION STABILISER BAR

Stabiliser bar detail. Articulated bar that adapts to the shower space. Articulated, re-cuttable and adaptable to different positions.

Chrome

Black

Matt White

Matt Gold

ANGULAR-POSITIONED BAR:

STRAIGHT-POSITIONED BAR:

Re-detachable and articulated bar for installation in different positions.
For larger dimensions, the length of the bar can be increased up to 1.3 m on request.
Multi-position bar included in all Series except Vanity and Nordic Fixed.

LYON STABILISER BAR WITH LED

Chrome

Black

"T" NORDIC STABILISER BAR

SPECIAL STABILISER BARS

1. Detail of enclosure bar T. Special stabilising bar, recommended for fixed + folding compositions.
2. Detail of glass-ceiling bar. Special stabiliser bar, recommended for fixtures.
3. Detail of the bar on the glass-ceiling side. Special stabiliser bar, recommended for fixtures.

Profile trim

Trim profile available in: Chrome, Silver, Black, White, Matt White and Matt Gold.

Examples of atypical enclosures

ATYPICAL 1



H ±1950 mm | Side fixed on wall | Adjoining fixed on wall

ATYPICAL 2



Blunt | Non-uniform panels | Handle/Knob in other position

ATYPICAL 3



Fixed with edge | Irregular glass with a dip | Degree profiles

ATYPICAL 4

Do you need a special solution?

Don't worry, at Profiltek we are here to help you, tell us what you need and our Customer Service will offer you the best solution.

ATYPICAL 5 - KONVERT



Shelves with edge | Adjoining fixed on wall | Opening on side fixed panel

Special packaging for large format fixed panels

SPECIAL TRANSPORT WITH STAND

At Profiltek we place safety above all else, which is why when any glass panels exceeds the standard 1200 mm length we package it differently from others, transporting it in a custom-made package that guarantees the greatest reliability for our products and for our customers.

Depending on the features of the product, we will use one of these two shipping options:

Degree profiles ATYPICAL 3

Degree profiles for solutions from 90º to 270º. Available in White, Silver, High Gloss Silver and Black.

AVAILABILITY BY SERIES

	WHITE	HIGH GLOSS SILVER	BLACK
OT/OV FIXED	✓	✓	✓
VANITY		✓	✓
GALLERY			✓
ARCOIRIS PLUS	✓	✓	✓
SPECIALS	✓	✓	✓
PMR	✓	✓	✓

For other Series, please consult the Customer Service.

EXAMPLES OF CONFIGURATION WITH PROFILES







GENERAL MEASUREMENTS



The set of straight profiles measures 56 mm. The width of the wall profile is 24 mm, while the profile marking the degrees is 26 mm wide. The diameter of the circular profile is 32 mm.

POSITIONS



The positions that the profiles can take up range from 90º to 270º.

OFFSET



The compensation the degree profiles allow for is 15 mm.

DIMENSIONS OF THE ENCLOSURE: X ≠ Y

THE POSITION OF THE ANGLED PROFILE ENSEMBLE MUST BE TAKEN INTO ACCOUNT WHEN TAKING THE X ≠ Y MEASUREMENTS

For spaces with the same dimensions (M), the size of the enclosure can vary as shown in the diagram; the X and Y dimensions depend on the degrees of the shower tray.

The sides of the existing walls must be indicated.



Installation videos of our enclosures

DISCOVER VIDEOS SHOWING THE INSTALLATION OF SOME OF OUR ENCLOSURES ON OUR YOUTUBE CHANNEL

YOUTUBE CHANNEL:
youtube.com/channel/UCN9UJ9Kb-foXQ-vcQmc4FPBw

FIXED NORDIC

FN-2001
youtu.be/aPfBoitKJNw

FN-2002
youtu.be/yT0VY52QWBc

FN-2015
youtu.be/ubhLFDN-JcY

FIXED ONE

OT-2000
youtu.be/MLchS8FLgss

OL-2000
youtu.be/LylOxBwGXO4

AC-240
youtu.be/MKVZuuKVa7s

VA-250
youtu.be/Yo7Ismyducw

KEISY

KE-210
youtu.be/mxyQEi-mFts

KE-205
youtu.be/7mp8kwUzbBI

KE-206
youtu.be/OAmjT02Eajs

NEWGLASS SWINGING

NG-205
youtu.be/dt-UMY4vkrU

NG-206
youtu.be/Y_jRF18qT-o

NG-210
youtu.be/L9EjgRCwK_s

ARCOIRIS PLUS SWINGING / FOLDING

AC-210
youtu.be/e0ZB4x889p0

AC-220
youtu.be/W1qLVj6sMcA

AC-218
youtu.be/of8pMDkjj-Y

VITA

VA-216
youtu.be/dgGZoOqvM4M

VA-210
youtu.be/LcU9Xdzvf3s

VA-220
youtu.be/fdqhwe6fyyI

VA-250
youtu.be/Yo7Ismyducw

HIT

HI-210
youtu.be/yhCVHiMRZGQ

HI-216
youtu.be/71XptkudQnM

HI-220
youtu.be/AkaakH9cdY4

WIND

WI-210
youtu.be/3U1NDxThY1U

WI-220
youtu.be/6kvLpHD53no

KONVERT

KONVERT HIT
https://youtu.be/-U9IetNIHIE

Taking the measures of the shower tray

TO BE TAKEN INTO ACCOUNT IN ALL SCENARIOS

ACRYLIC TYPE SHOWER TRAY WITH SHARP ANGLE

- We measure from the edge to the wall, as shown in the diagram:



ACRYLIC TYPE SHOWER TRAY WITH ROUNDING

- We take the measurement of the rounding on the wall as shown in the diagram:



Note: All dimensions in mm.

TO BE TAKEN INTO ACCOUNT DEPENDING ON THE SCENARIO

NICHE SHOWER TRAYS

- The measurement is taken at 3 different points:



ANGULAR SHOWER TRAYS

- Measure from the outside of the shower ray to the wall as shown in the diagram:



PENTAGONAL SHOWER TRAYS

- Measure from the outside of the shower tray to the wall at the 5 points shown in the diagram:



ROUNDED SHOWER TRAYS

- Measure the outside of the shower tray to the wall and measure the diagonal of the tray as shown in the diagram:



- If the enclosures are not square, the measurement shown in the diagram must be added to those taken previously:



SLOPED CUT

- Take the measurements and degrees indicated:



Taking measurements: walk-in shower

PLEASE INDICATE IN THE ORDER IF THE ENCLOSURE IS TO BE INSTALLED ON A WALK-IN SHOWER



- The measurement (F or L) that is requested for the enclosure is the total measurement and includes the base profile that protrudes over the glass (see picture):

The dimensions to be indicated must include all the elements outside the floor of the enclosure.

SPECIFIC GUIDELINES

- For walk-in showers, if you want the glass to fall on the dividing line between the shower tray and the rest of the floor, this must be indicated in the order so that we can manufacture the enclosure to the correct size:



In this case, the glass is positioned at the junction of the tile and the shower tray: **(this must be indicated on the order)**



In this case, the glass is inside the shower tray: **(it is not necessary to specify this on the order)**

Complementary profiles Standard



Angles (PANG)



Squares (PCUAD)



Rectangular (PRECT)



Platinum (PPLET)

Order form

Customer No. _____ Customer _____

Address_____ Tel. _____

Location _____Post code _____

Placed by _____ Reference _____

FIXED		SWINGING / FOLDING				SLIDING					SP	PMR	XXL			
NORDIC FIXED	ONE FIXED	GALLERY	KEISY	NEWGLASS	ARCOIRIS PLUS	VANITY	VITA	HIT	WIND	NELL	SPECIALS	PMR	OT-2000	OT-2016	AC-210	VA-210

Model:

FEATURES

Finish:_____

GLASS

- ☐ Carglass
- ☐ Acid
- ☐ Master Carré
- ☐ Clear
- ☐ Smoke Grey

- ☐ Blue
- ☐ Wavy
- ☐ Ecliptek
- ☐ Mirror

DECORATION

Model:

_____

TEKNOCLEAN

☑ Included

FRONT AND/OR FIXED	ANGULAR	CURVED	DESIGN POSITION



F: Front width.
LI: Left fixed panel width.
LD: Right fixed panel width.
☐ fixed panel in alignment.
☐ Lateral fixture.



LI: Left fixed panel width.
LD: Right fixed panel width.



LI: Width of the left FIXED side.
LD: Width of the right FIXED side.
G: Diagonal.



COLLECTIONS

TEXTURE ☐ NATURAL ☐ COSMOPOLITE ☐ CLASIK ☐ FASHION ☐ FOREVER ☐

DESIGN: _____ COLOUR _____ _____ _____

Reference number | Collection | Design | Colour

☐ WALK-IN SHOWER

EXPLANATORY DIAGRAM:

ORDER DATE: | RECEIVED BY: | REVIEWED BY:

PROFILTEK SPAIN, S.A. - Ctra. Nacional 340 (Km.938),
46510 Quartell (Valencia) Spain
Customer Service: Phone (+34) 962 602 062 - FAX (+34) 962 602 742
Management: Phone (+34) 962 605 145 - FAX (+34) 962 602 525 | www.profiltek.com · export@profiltek.com

CERTIFICADO UNE 166002
CE UNE 14428

You can also place your order on www.profiltek.com in your Professional Area.

General sale conditions

1.DEFINITIONS AND APPLICATIONS OF THE CONDITIONS

1.1 In the following provisions, “Client” shall mean the company that accepts these General Conditions of Sale.
1.2 “Contract” or “Contractual Relationship” shall mean all agreements reached between PROFILTEK SPAIN, S.A., and the Client, any modification or addition to the same, as well as all activities aimed at pre- paring and implementing an agreement.
1.3 These General Conditions of Sale apply to all orders fulfilled by PROFILTEK SPAIN, S.A.
1.4 These General Conditions of Sale cancel and replace any other general condition that may be raised. They constitute the sole agreement applicable to sales by PROFILTEK SPAIN, S.A., to the exclusion of the Client’s general or particular conditions.
1.5 Any derogation from or modification to these General Conditions of Sale must be expressly stipulated in the particular conditions of the order.
1.6 Derogations shall only apply to a specific order. The Client shall not be entitled to extend their scope to cover other orders, whether past or future.

2.PARTIAL INEFFECTIVENESS

2.1 If any condition contained in these General Conditions of Sale is declared null and void, the validity of the General Conditions of Sale as a whole shall not be affected by that circumstance. The other terms and conditions shall remain in force, and shall not be affected by the declaration of nullity.
2.2 The legally-ineffective condition shall be replaced by a new condition, or it shall be interpreted in a legally-acceptable manner, in such a way that is as close as possible to the condition that PROFILTEK SPAIN, S.A., would have formalised if it had knowledge of the ineffectiveness of the condition in question.

3.BIDS

3.1 No bid or estimate (of price) made or presented for or on behalf of PROFILTEK SPAIN, S.A., shall be binding, and shall be only deemed an invitation to place an order.
3.2 A contract shall only take effect once PROFILTEK SPAIN, S.A., has been informed of the Client’s order and has issued its acceptance thereof. The contract shall be deemed to take effect from the time of issuing the order confirmation, and sending that confirmation to the Client.
3.3 If an order confirmation given by PROFILTEK SPAIN, S.A., is different from an order placed by the Client, the contract shall be governed in accordance with the order confirmation, unless the Client rejects the order confirmation in writing within 24 of receipt. After that deadline, the order confirmation issued by PROFILTEK SPAIN, S.A., shall be deemed to have been accepted by the Client.
3.4 All declarations made by PROFILTEK SPAIN, S.A., concerning prices, numbers, measures, weights, or other product specifications are made accurately. However, they are not binding on PROFILTEK SPAIN, S.A., which cannot guarantee that there will be no changes in that regard.
3.5 In reference to orders that, due to their volume, are not the subject of an order confirmation, the invoice shall be considered an order confirmation that represents the full and accurate contract.

4.DELIVERY

4.1 Saving any agreement to the contrary, delivery shall be EX WORKS (as defined in INCOTERMS 2000), such that the goods shall be placed at the Client’s disposal on the floor of the warehouse of PROFILTEK SPAIN, S.A. Thereafter, the Client shall be liable for all costs and risks. To that effect, the deliver shall be deemed complete when the goods ordered leave the warehouse of PROFILTEK SPAIN, S.A.
4.2 From the time of delivery, including the exact time set out in section 4.1 above, the Client shall be liable for the products supplied.
4.3 Delivery dates notified shall never be deemed deadlines. If the Client should make a declaration of non-compliance in respect of a delayed delivery, PROFILTEK SPAIN, S.A., shall be required to ratify or confirm the matter. If PROFILTEK SPAIN, S.A., confirms the said non-compliance, a reasonable period must be allowed for delivery to be made.
4.4 If the reasonable delivery period is exceeded, the Client shall not be entitled to any indemnity. In such a case, the Client shall not be entitled to terminate the contract or to send a notice of termination of contract, unless the delivery date has o maintain the relevant part of the contract. In such a case, the other party shall be entitled to terminate the contract to the extent strictly necessary, and only in relation by the delay in making delivery.
4.5 PROFILTEK SPAIN, S.A., shall be entitled to make partial deliveries at all times.
4.6 Without prejudice to the foregoing, PROFILTEK SPAIN, S.A., may deliver the products (or have the products delivered) to the address given by the Client.
4.7 When the product is delivered to the Client’s address, the price shall not include the cost of transporting the products or of their transfer to the company’s premises or industrial premises. The Client shall be liable for that cost.
4.8 The Client undertakes to accept products diligently and in accordance with what has been agreed in the contractual relationship. If the Client should reject or delay receipt of the products purchased, PROFILTEK SPAIN, S.A., shall be entitled to:
a). require the Client to fulfil its commitments, including the requirement to pay the price agreed and that, where appropriate, may be pending payment, with the addition of late-payment interest. At the same time, and without prejudice to the foregoing, PROFILTEK SPAIN, S.A., shall be entitled to store or deposit the goods, giving the Client reliable notification that the goods are at the Client’s disposal, with the Client being liable for costs arising from storing or depositing the products due to the goods not being accepted for any reason, and
b). terminate the contractual relationship, with PROFILTEK SPAIN, S.A., being entitled to sell the goods to third parties.
c). Without prejudice to all the foregoing, PROFILTEK SPAIN, S.A., shall be entitled to indemnity for damages as appropriate.
4.9 If the Client does not pay punctually or does not accept the products, it shall be in a state of non-compliance without any notification being required to that effect. In such a case, PROFILTEK SPAIN, S.A., shall be entitled to store the goods at the Client’s expense and risk, or sell the goods to a third party. The Client shall be liable for the purchase price plus interest and costs, including storage costs, by way of indemnity, which shall be reduced when applicable by the net receipts of the sale to the said third party.
4.10 PROFILTEK SPAIN, S.A., shall be entitled to defer further deliveries until the Client has made all payments owed to PROFILTEK SPAIN, S.A.

5.TRANSPORT RISK AND COSTS

5.1 If PROFILTEK SPAIN, S.A., delivers the goods to the address given by the Client, those goods shall be delivered carriage-paid and charged to the Client in the invoice. Accordingly, PROFILTEK SPAIN, S.A., shall contract the means of transport needed for the delivery of the products, and it expressly declares that it is not liable for the result of the transport, or of the damage that the transport may cause to the products or to third parties.
5.2 PROFILTEK SPAIN, S.A., shall add to the invoice sent to the Client the costs quoted by the haulage firm for delivering the products.
5.3 Similarly, and with respect to transport, the Client has the following obligations:
a) obtain licences and authorisations needed for export, and where, appropriate, for transit through another countries.
b) be liable for all risks relating to loss or damage affecting the products that are covered by the contractual relationship, from the time they leave the warehouse of PROFILTEK SPAIN, S.A., and pay any additional expense that may arise, should the transport not be completed within the stipulated period, or if the goods cannot be accepted, or if the Client has not given sufficient notice.

6.CLAIMS

6.1 The Client shall use all possible care to inspect the products supplied immediately upon their arrival. Any claim due to defects shall be notified to PROFILTEK SPAIN, S.A., in writing and within a period of four (4) working days of delivery. A claim based on internal defects affecting the thing sold must be made within thirty (30) days of delivery.
6.2 If PROFILTEK SPAIN, S.A., considers the claim justified, and to the extent that such is the case, PROFILTEK SPAIN, S.A., shall only be required, at its discretion, to rectify the defect or replace the defective item. The Client shall not be entitled to seek additional compensation of any type.
6.3 Once a defect has been discovered, PROFILTEK SPAIN, S.A., may ask the Client to immediately suspend the sale or delivery of products to third parties. The Client shall not be entitled to make a claim with respect to products for which PROFILTEK SPAIN, S.A., cannot verify the claim.
6.4 The Client shall not be entitled to make a claim against PROFILTEK SPAIN, S.A., whilst in non-fulfilment of any obligation that it may have towards PROFILTEK SPAIN, S.A. The Client shall give PROFILTEK SPAIN, S.A., all the assistance needed to investigate claims.
6.5 The Client shall not be entitled to return the products until PROFILTEK SPAIN, S.A., has given its written consent. The Client shall always be liable for transport costs and risks. Only in the case of a claim made in time, correctly, and lawfully, reasonable return costs shall be borne by PROFILTEK SPAIN, S.A., subject to those costs being granted prior approval by PROFILTEK SPAIN, S.A.
6.6 PROFILTEK SPAIN, S.A., shall not, under any circumstances, be liable for hypothetical claims that may arise due to in appropriate use of the products supplied, or when those products have been modified or manipulated without the express written consent of PROFILTEK SPAIN, S.A. With respect to the products acquired from PROFILTEX SPAIN, S.A., the Client undertakes to inform its clients of those circumstances as well as the intended use of the products, their limitations, and, where appropriate, the non-approval of those products for business purposes, with the aim of holding PROFILTEK SPAIN, S.A., safe from claims.

7.FEES, PRICE, AND COSTS

7.1 PROFILTEK SPAIN, S.A., shall, inter alia, be entitled to modify prices, if, between the time of making the offer and the time of completing payment, there have occurred significant changes in prices with respect to, for example, exchange rates, salaries, raw materials, semi-manufactured products, packaging materials, etc.
7.2 The prices charged by PROFILTEK SPAIN, S.A., do not include VAT or other charges, and they do not include any cost arising. All those excluded costs shall be borne by the Client.
7.3 Unless indicated otherwise, prices shall be given EX WORKS, as set out in 4.1.

8.PAYMENT

8.1 Except for written particular conditions, payment shall be made under the terms set out in this Condition, by bank transfer made on request.
8.2 PROFILTEK SPAIN, S.A., reserves the right to send its invoices electronically to the Client, which agrees to receive those invoices by that means of transmission.
8.3 PROFILTEK SPAIN, S.A., reserves the right to require a certified cheque if large amounts are involved.
8.4 PROFILTEK SPAIN, S.A., may ask the Client to provide payment guarantees, e.g. bank guarantees, including after the sale agreement has been signed. If need be, PROFILTEK SPAIN, S.A., may delay the delivery of the goods until the guarantee is presented.
8.5 If an invoice reaches its due date without being settled, PROFILTEK SPAIN, S.A., shall require the immediate payment of all outstanding invoices. Payment must be made before any order accepted is delivered. PROFILTEK SPAIN, S.A., shall also be entitled to ask the Client to return all goods delivered and not paid for by the due date, without being required to give notification by registered letter for that purpose. PROFILTEK SPAIN, S.A., shall further be entitled to recover goods held by the Client’s customers, or require those customers to make direct payment for the goods they hold.
8.6 The due date of one or more invoices is a contractual obligation on the Client to make payment, without any other formality being required. In consequence, late-payment penalties shall take effect on the due date of the invoice(s). The client shall automatically be

liable for late- payment interest at the legal rate set in Law 3 / 2004.
If the amount is not paid on the date agreed in the invoice, the Client shall have is debt increased by the cost of collection.
The interest rate to apply in this case will be the legal interest rate of money in Spain plus 2%, with a minimum interest rate of 8%, with a minimum amount of 18 €.
8.7 In the event of a claim, the Client shall not be entitled to withhold all or part of the amount in respect of outstanding invoices, raise a claim for compensation, or seek compensation. No claim against the delivery of goods may give rise to non-payment of one or more invoices, without proof of the defective goods being provided and duly noted by PROFILTEK SPAIN, S.A., before the invoice due date. If an invoice is in dispute, he claim must be made in writing by registered letter with acknowledgement of receipt, sent to PROFILTEK SPAIN, S.A., by the legally-established deadline for that purpose. Once that deadline has passed, PROFILTEK SPAIN, S.A., shall not bear any liability for the goods delivered.

9.RESERVATION OF TITLE

9.1 Without prejudice to the other Conditions of Sale, title in the goods shall not be deemed to have passed to the Client until the latter has fulfilled is payment obligation in the manner agreed. Pending that fulfilment, title remains with PROFILTEK SPAIN, S.A., and goods held by the Client are deemed to have been deposited only.
9.2 The Client must store goods such that they are identified as the sole property of PROFILTEK SPAIN, S.A. In case of doubt regarding the existence or otherwise of reservation of title over a specific item arising to it being incorrectly identified by the Client, it is understood that the item in question shall be covered by the reservation of title.
9.3 The Client undertakes to take out and to keep in force insurance policies that provide sufficient cover for the goods held on deposit, against all risks of loss or wear and tear.
9.4 If the Client fails to make payment or makes late payment, PROFILTEK SPAIN, S.A., shall be entitled to remove the goods held on deposit at the Client's premises. In the mater, the Client grants irrevocable authorisation to PROFILTEK SPAIN, S.A., to enter the Client's premises for that purpose.

10.CANCELLATION

10.1 PROFILTEK SPAIN, S.A., may terminate the contractual relationship early at any time, with immediate effect and without prejudice to the indemnity for damages that it may be due, by means of a notification to terminate that shall take effect as soon as it is sent:
a) if the Client becomes insolvent or is not in a position to pay its debts on their due date(s), or if, in the ordinary course of business, the Client ceases to pay any of those debts on their due date(s), or if the Client assigns its assets to its creditors.
b) if the Client leaves any debts unpaid.
c) if the Client does not comply with any obligations or liabilities, or delays fulfilment of any terms or conditions taken on in accordance with these Conditions of Sale or with the Law.

10.2 To terminate the contractual relationship, PROFILTEK SPAIN, S.A., must notify the Client in writing by any means that includes acknowledgement of receipt, with termination taking place automatically. In that case and without prejudice to the foregoing, PROFILTEK SPAIN, S.A., shall, after the contractual relationship has been terminated, retain the entitlement to require the immediate and full payment of all amounts owed by the Client to PROFILTEK SPAIN, S.A., as well as the entitlement to execute guarantees for payment that PROFILTEK SPAIN, S.A., has required of the Client.
1.3. The Client waives all entitlement to any compensation or indemnity to which it is may be entitled at the time of terminating the contractual relationship.
10.4 PROFILTEK SPAIN, S.A., shall be entitled to recover products delivered. In that respect, PROFILTEK SPAIN, S.A., and its proxies shall be entitled to enter the Client's installations and buildings to take possession of the products. The Client shall be required to take measures needed to enable PROFILTEK SPAIN, S.A., to exercise its entitlements. Similarly, all invoices issued by PROFILTEK SPAIN, S.A., and that are pending payment by the Client shall fall due and must be settled immediately.

11.LIMITATION OF LIABILITY

11.1 In accordance with the other provisions of this Condition, the liability of PROFILTEK SPAIN, S.A., shall explicitly be limited to the provisions of Section 6 with respect to claims, such that, in relation to the goods supplied, PROFILTEK SPAIN, S.A., shall never be liable for any (additional) damages, including indirect damages, and shall not be required to pay damages arising from interruption to business, loss of profit, accidents affecting persons, claims made by third parties against the Client, or any other damages of any type.
11.2 Liability towards the Client in respect of any cause or reason of any type shall be limited to the invoice value of the products supplied by PROFILTEK SPAIN, S.A., to the Client and that have given rise to the claim. Accordingly, a series of inter-related events shall be treated as a single event.
11.3 PROFILTEK SPAIN, S.A., shall not be liable for damage of any type caused by use of the product supplied or because the product is not suitable for the use made of it by the Client. PROFILTEK SPAIN, S.A., does not guarantee items, their saleability, or their suitability for a specific purpose.
11.4 PROFILTEK SPAIN, S.A., shall not be liable for any damage of any type caused by actions or omissions on the part of staff contracted by PROFILTEK SPAIN, S.A., or on the part of other persons whose services may be contracted by PROFILTEK SPAIN, S.A.
11.5 The Client shall indemnify PROFILTEK SPAIN, S.A., in respect of any third party that may claim payment of an indemnity for damages in relation to goods supplied to the Client by PROFILTEK SPAIN, S.A.
11.6 PROFILTEK SPAIN, S.A., shall not be liable for damage of any type if it acts on the basis of incorrect or incomplete information provided by the Client.
11.7 PROFILTEK SPAIN, S.A., declines all liability for direct, indirect, physical, or material damage due to the incorrect use of goods delivered.
11.8 PROFILTEK SPAIN, S.A., shall replace its defective items, in line with its indisputable judgement and if it considers the matter to be appropriate.
11.9 PROFILTEK SPAIN, S.A., reserves the right to, at any time, modify the items that appear in its brochures.

12.OVERWHELMING FORCE

12.1 If PROFILTEK SPAIN, S.A., cannot uphold (or cannot continue to uphold) the contractual relationship established, due to force majeure of a permanent or temporary nature, it shall be entitled, with no indemnity for damages being payable to the other party, to terminate the contractual relationship in full or in part, by means of written notification to that end and without any legal intervention. The foregoing shall be without prejudice to the entitlement of PROFILTEK SPAIN, S.A., to receive payment from the Client for the portion already completed by PROFILTEK SPAIN, S.A., before occurrence of the situation that gave rise to the force majeure, or to suspend the execution of the contractual relationship from that moment. In case of suspension, PROFILTEK SPAIN, S.A., shall be entitled, during the period of suspension, to declare the full or partial termination of the contract.
12.2 "Force majeure" shall include all circumstances that lead to PROFILTEK SPAIN, S.A., being temporarily or permanently unable to fulfil its obligations, e.g. action taken by the Government, strikes, as well as all circumstances of a similar nature, that mean that it is not possibly to reasonably require (or continue to require) PROFILTEK SPAIN, S.A., to fulfil (or to continue fulfilling) its obligations to the Client.

13.INTELLECTUAL PROPERTY, COPYRIGHT, AND CONFIDENTIALITY

13.1 The Client shall not be entitled to delete or modify any indication relating to brands, commercial names, patents, or other rights that are on the goods supplied by PROFILTEK SPAIN, S.A. That shall include indications relating to the reserved and confidential nature of the goods supplied, as well as copying or altering products or any part thereof.
13.2 PROFILTEK SPAIN, S.A., does not accept any liability for infringements of intellectual or industrial property rights belonging to third parties and caused by modifications to goods supplied made without the consent of PROFILTEK SPAIN, S.A.
13.3 The Client undertakes to maintain strict confidentiality in respect of all documentation and / or information that it may receive from PROFILTEK SPAIN, S.A., whether directly or indirectly, from first contact established between PROFILTEK SPAIN, S.A., and the Client until the contract has been executed, as well as thereafter.
13.4 Any violation of this CONDITION shall entitle PROFILTEK SPAIN, S.A., to terminate the contractual relationship by reason of non- compliance. Similarly, if the Client fails to fulfil its obligation in respect of post-contractual confidentiality or before the contract is signed, the client shall indemnify PROFILTEK SPAIN, S.A., in respect of damage caused.

PROFILTEK

CUSTOM SHOWER SPACES

PROFILTEK SPAIN, S.A. Ctra. Nacional 340 (Km. 938) - 46510 Quartell (Valencia) Spain
CUSTOMER SERVICE: Phone (+34) 962 602 062 - Fax 962 602 742
MANAGEMENT: Phone (+34) 962 605 145 - Fax (+34) 962 602 525

www.profiltek.com | export@profiltek.com

LEGAL NOTICE

Prices are valid, barring typographical errors or lack of stock. This price list supersedes all previous ones. PROFILTEK reserves the right to fully or partially change or even withdraw the catalogue, without prior notice and without obligation to supply the models presented. The decoration, details, features and colour tones shown in the catalogue are subject to variations and cannot be guaranteed by the manufacturer and/or distributor.

09105221ENE 2022 IMG

PROFILTEK

CUSTOM SHOWER SPACES